



RECEIVED

**BellSouth Telecommunications, Inc.**

333 Commerce Street  
Suite 2101  
Nashville, TN 37201-3300

guy.hicks@bellsouth.com

2003 AUG -6 PM 2:55

T.R.A. DOCKET ROOM

August 6, 2003

**Guy M. Hicks**  
General Counsel

615 214 6301  
Fax 615 214 7406

VIA HAND DELIVERY

Hon. Deborah Taylor Tate, Chairman  
Tennessee Regulatory Authority  
460 James Robertson Parkway  
Nashville, TN 37238

Re: *Docket to Establish Generic Performance Measurements, Benchmarks  
and Enforcement Mechanisms for BellSouth Telecommunications, Inc.*  
Docket No. 01-00193

Dear Chairman Tate:

Enclosed are five copies of and a CD Rom of revised SQM pages and Georgia SEEM Administrative Plan in compliance with the Georgia Public Service Commission Order of July 2, 2003. This information was recently submitted by BellSouth to the Florida Public Service Commission. Copies of the enclosed are being provided to counsel of record.

Very truly yours,

Guy M. Hicks

GMH:ch

BellSouth Telecommunications, Inc.  
Legal Department  
1025 Lenox Park Boulevard  
Suite 6C01  
Atlanta, GA 30319-5309

bennett.ross@bellsouth.com

Bennett L. Ross  
General Counsel - Georgia

404 986 1718  
Fax 404 986 1800

July 23, 2003

**DELIVERED BY HAND**

Mr. Reece McAlister  
Executive Secretary  
Georgia Public Service Commission  
244 Washington Street, S.W.  
Atlanta, Georgia 30334-5701

Re: *Performance Measurements for Telecommunications Interconnection,  
Unbundling and Resale; Docket No. 7892-U*

Dear Mr. McAlister:

As required by orders of the Georgia Public Service Commission ("Commission") entered on November 14, 2002 and January 22, 2003 Orders in the above-referenced proceeding, BellSouth Telecommunications, Inc. ("BellSouth") filed an updated Service Quality Measurement ("SQM") Plan as well as the Self-Effectuating Enforcement Mechanism ("SEEM") Administrative Plan for the State of Georgia. On July 2, 2003, the Commission entered an order directing that BellSouth make certain revisions to these updated plans.

Consistent with the Commission's July 2, 2003 Order, enclosed herein for filing please find an original and eighteen (18) copies, as well as an electronic version, of: (1) the revised SQM pages for Measure P-4B (Firm Order Average Completion Interval & Order Completion Interval Distribution), which reflects the changes to the retail analogs ordered by the Commission, as well as a black-line version of this document indicating the changes that have been made; and (2) the revised Georgia SEEM Administrative Plan as well as a black-line version of this document indicating the changes that have been made. I would appreciate your filing same and returning the three (3) extra copies stamped "filed" in the enclosed self-addressed and stamped envelopes.

In preparing the revised SEEM Administrative Plan, BellSouth incorporated all of the changes directed by the Commission in its July 2, 2003 Order. In addition, BellSouth has made additional changes not specifically set forth in the Commission's Order, but which BellSouth agreed to make in response to concerns raised by Competing Local Exchange Carriers ("CLECs") and BearingPoint as well as to ensure consistency with the SQM. These changes are described briefly below.

Mr. Reece McAlister  
July 23, 2003  
Page 2

First, in Section 1.4.1 (Definitions), BellSouth has revised the language to more accurately describe the Tier 3 Enforcement Mechanisms, as requested by the CLECs in their comments filed on April 7, 2003.

Second, BellSouth has added Section 1.4.4 (Market Penetration Adjustment) to include language outlining the Market Penetration Adjustment ordered by this Commission which, as the CLECs correctly pointed out in their April 7, 2003 filing, had been erroneously omitted from BellSouth's SEEM Administrative Plan.

Third, BellSouth has made several formatting changes to Attachment B (SEEM Submetrics) to make them consistent with the disaggregation levels set forth in the SQM.


Fourth, in order to address an issue raised by BearingPoint in Draft Exception 284, BellSouth has added language to Section D.1 (Notation and Exact Testing Distributions) to explain how the SQM disaggregation is used to assist in the calculation of SEEM remedies.

Fifth, in Section E.3 (Tier-1 Calculation for Benchmarks), BellSouth has added additional small sample size tables and revised the accompanying language slightly to address a concern raised by BearingPoint as part of the PMR-7 test. These changes were made to address the unique nature of calculating remedies based on the two benchmarks associated with Enhanced Extended Loops ("EELs").

Finally, in response to concerns raised by the CLECs in their April 7, 2003 filing, BellSouth has revised Attachment F (Reposting of Performance Data and Recalculation of SEEM Payments) to incorporate changes to the reposting policy in Georgia that were ordered by the Florida Public Service Commission in Florida.

BellSouth believes that the changes described above are appropriate and wanted to bring these changes to the attention of the Commission and the parties.

Yours very truly,

  
Bennett L. Ross (PME)

BLR:nvd  
Enclosures

cc: Mr. Leon Bowles  
Mr. Patrick Reinhardt  
Parties of Record

**CERTIFICATE OF SERVICE**

**Docket No. 7892-U**

This is to certify that I have this day served a copy of the foregoing upon parties of record, by depositing same in the United States Mail, with adequate postage thereon, addressed as follows:

Ms. Kristy R. Holley  
Division Director  
Consumers' Utility Counsel Division  
47 Trinity Avenue, S.W.  
4<sup>th</sup> Floor  
Atlanta, GA 30334  
[kristy.holley@cuc.oca.state.ga.us](mailto:kristy.holley@cuc.oca.state.ga.us)

Daniel Walsh, Esquire  
Assistant Attorney General  
Department of Law – State of Georgia  
40 Capitol Square, S.W.  
Atlanta, GA 30334-1300  
[dan.walsh@law.state.ga.us](mailto:dan.walsh@law.state.ga.us)

Jonathan E. Canis, Esquire  
Michael B. Hazzard, Esquire  
Andrew M. Klein, Esquire  
Enrico C. Soriano, Esquire  
Kelley, Drye & Warren, LLP  
1200 19<sup>th</sup> Street, N.W., Suite 500  
Washington, DC 20036  
[Counsel for Z-Tel, KMC Telecom]  
[jcanis@kelleydrye.com](mailto:jcanis@kelleydrye.com)  
[mhazzard@kelleydrye.com](mailto:mhazzard@kelleydrye.com)  
[aklein@kelleydrye.com](mailto:aklein@kelleydrye.com)  
[esoriano@kelleydrye.com](mailto:esoriano@kelleydrye.com)

Charles A. Hudak, Esquire  
Ronald V. Jackson, Esquire  
Friend, Hudak & Harris, LLP  
Three Ravinia Drive, Suite 1450  
Atlanta, GA 30346-2117  
[Counsel for Rhythms Links, Inc., Covad,  
XO Georgia, Time Warner, MediaOne,  
TRA, LCI, Teleport Communications]  
[chudak@fh2.com](mailto:chudak@fh2.com)  
[rjackson@fh2.com](mailto:rjackson@fh2.com)

David I. Adelman, Esquire  
Charles B. Jones III, Esquire  
Hayley B. Riddle, Esquire  
Sutherland, Asbill & Brennan LLP  
999 Peachtree Street, N.E.  
Atlanta, GA 30309-3996  
[Counsel for ITC^DeltaCom, WorldCom]  
[diadelman@sablalaw.com](mailto:diadelman@sablalaw.com)  
[cbjones@sablalaw.com](mailto:cbjones@sablalaw.com)  
[hbiddle@sablalaw.com](mailto:hbiddle@sablalaw.com)

Frank B. Strickland, Esquire  
Anne W. Lewis, Esquire  
Strickland Brockington & Lewis  
Midtown Proscenium – Suite 2000  
1170 Peachtree Street, N.E.  
Atlanta, GA 30309  
[Counsel for e.spire Communications]  
[fbs@sbllaw.net](mailto:fbs@sbllaw.net)  
[awl@sbllaw.net](mailto:awl@sbllaw.net)



Suzanne W. Ockleberry, Esquire  
AT&T Communications of the  
Southern States, Inc.  
1200 Peachtree Street, N.E., Room 8100  
Atlanta, GA 30309  
[Counsel for AT&T Communications] [mark@middletonlaw.net](mailto:mark@middletonlaw.net)  
[sockleberry@att.com](mailto:sockleberry@att.com)

Mark M. Middleton, Esquire  
Mark M. Middleton, P.C.  
4231 Quail Ridge Way  
Norcross, GA 30092-1318  
[Counsel for CTAG]  
[mark@middletonlaw.net](mailto:mark@middletonlaw.net)

William R. Atkinson, Esquire  
Sprint Communications Co.  
3065 Cumberland Boulevard  
Mailstop GAATLD0602  
Atlanta, GA 30339  
[Counsel for Sprint Communications] [bill.atkinson@mail.sprint.com](mailto:bill.atkinson@mail.sprint.com)

Charles V. Gerkin, Jr., Esquire  
Attorney at Law  
Suite 313  
3939-E LaVista Road  
Tucker, GA 30084  
[Counsel for NewSouth, ICG Telecom]  
[charles.gerkin@comcast.net](mailto:charles.gerkin@comcast.net)

Rose Mulvany Henry, Esquire  
Birch Telecom of the South, Inc.  
2020 Baltimore Avenue  
Kansas City, MO 64108  
[Counsel for Birch Telecom]  
[rmulvany@birch.com](mailto:rmulvany@birch.com)

Newton M. Galloway, Esquire  
Dean R. Fuchs, Esquire  
Smith, Galloway, Lyndall & Fuchs, LLP  
400 First Union Bank Tower  
100 South Hill Street  
Griffin, GA 30229  
[Counsel for US LEC, Birch Telecom,  
SECCA]  
[ngalloway@sglf-law.com](mailto:ngalloway@sglf-law.com)  
[dfuchs@sglf-law.com](mailto:dfuchs@sglf-law.com)

Walt Saprnov, Esquire  
Gerry & Saprnov LLP  
Three Ravinia Drive  
Suite 1455  
Atlanta, GA 30346-2117  
[Counsel for Multitechnology, Powertel,  
NEXTEL Communications, Access  
Integrated]  
[info@gstelecomlaw.com](mailto:info@gstelecomlaw.com)

Anne E. Franklin, Esquire  
Amall, Golden & Gregory, LLP  
2800 Atlantic Center  
1201 West Peachtree Street, N.E.  
Atlanta, GA 30309  
[Counsel for Broadslate Networks,  
Globe Telecommunications, Knology]  
[anne.franklin@agg.com](mailto:anne.franklin@agg.com)

Dulaney L. O'Roark III, Esquire  
WorldCom, Inc.  
6 Concourse Parkway  
Suite 3200  
Atlanta, GA 30328  
[Counsel for WorldCom, Inc.]

Charles E. Watkins, Esquire  
Senior Counsel  
Covad Communications Company  
1230 Peachtree Street, N.E., 19<sup>th</sup> Floor  
Atlanta, GA 30309  
[Counsel for Covad Communications]

de.oroark@wcom.com

gwatkins@covad.com

jbell@covad.com

Margaret Ring, Esquire  
Director Regulatory  
& Governmental Affairs  
Network Telephone  
815 South Palafox Street  
Pensacola, FL 32501  
[Counsel for Network Telephone]  
margaret.ring@networktelephone.net

This 23<sup>rd</sup> day of July, 2003.

403347 (07/17/03)

---

# **Revised SQM Pages for Measure P-4B**

**(Firm Order Average Completion Interval &  
Order Completion Interval Distribution)**

**With a black-line version  
indicating the changes**

## P-4B: Firm Order Average Completion Interval (OCI) & Order Completion Interval Distribution

### Definition

The "Firm Order Average Completion Interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Firm Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

### Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc., which may be coded C, N, R, or T).
- Disconnect Orders
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- Rejected LSRs
- Sundays and Designated Holidays are excluded from the interval calculation
- LSRs which are identified and classified as "Projects"

Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website:  
<http://www.interconnection.bellsouth.com/centers/html/lcsc.html>.

For ASRs processed in the Local Interconnection Service Center (LISC), all hours outside of Monday – Friday 8:00 – 4:30 CST, should be excluded.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

### Business Rules

For CLEC orders, the actual FOC and completion interval is determined for each order processed during the reporting period. For CLEC orders, the clock starts when BellSouth first receives a valid LSR or ASR and stops when the technician or system completes the order in SOCS. The start time for the completion interval for BellSouth retail orders is the timestamp of the first entry into SOCS and the stop time is when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

### Calculation

**Firm Order Completion Interval = (a - b)**

- a = Completion Date
- b = Receipt of a valid LSR/ASR (CLEC orders); Earliest timestamp in SOCS (for BellSouth orders)

**Firm Order Average Completion Interval = (c ÷ d)**

- c = Sum of all Completion Intervals

- d = Count of Orders Completed in Reporting Period

**Firm Order Completion Interval Distribution (for each interval) =  $(e \div f) \times 100$**

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

### Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Dispatch/Non-Dispatch categories applicable to all levels except trunks
- Residence, Business and UNE reported in day intervals = 0,1,2,3,4,5, >5
- Design is 0-<=5, >5-<=10, >10-<=15, >15-<=20, >20-<=25, >25-<= 30, > 30
- All Levels are reported <10 lines/circuits; >=10 lines/circuits (except trunks)
- Geographic Scope
  - State, Region

### Data Retained

#### Relating to CLEC Experience

- Report Month
- CLEC Company Name
- Order Number (PON)
- Interval for FOC
- Completion Date (CMPLTN\_DT)
- Service Type (CLASS\_SVC\_DESC)
- Geographic Scope

**Note:** Code in parentheses is the corresponding header found in the raw data file.

#### Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Order Submission Date & Time
- Order Completion Date & Time
- Service Type
- Geographic Scope

### SQM Disaggregation - Analog/Benchmark

#### SQM Level of Disaggregation

#### SQM Analog/Benchmark (OCI)

• Resale Residence .....	Retail Residence
• Resale Business .....	Retail Business
• Resale Design .....	Retail Design
• Resale PBX .....	Retail PBX
• Resale Centrex .....	Retail Centrex
• Resale ISDN .....	Retail ISDN
• LNP (Standalone) .....	Retail Residence and Business (POTS)
• INP (Standalone) .....	Retail Residence and Business (POTS)
• 2W Analog Loop Design .....	Retail Residence and Business (POTS) Plus One Day
• 2W Analog Loop Non-Design .....	Retail Residence and Business - POTS Excluding
- Dispatch .....	Switch-Based Orders
- Non-Dispatch (Dispatch In) .....	- Dispatch
• 2W Analog Loop With LNP-Design .....	- Non-Dispatch (Dispatch In)
• 2W Analog Loop With LNP-Non-Design .....	Retail Residence and Business (POTS) Plus One Day
	Retail Residence and Business (POTS) Excluding -
	Switch-Based Orders

- Dispatch .....	- Dispatch
- Non-Dispatch (Dispatch In) .....	- Non-Dispatch (Dispatch In)
• 2W Analog Loop With INP-Design .....	Retail Residence and Business (POTS) Plus One Day
• 2W Analog Loop With INP-Non-Design .....	Retail Residence and Business (POTS) Excluding – Switch-Based Orders
- Dispatch .....	- Dispatch
- Non-Dispatch (Dispatch In) .....	- Non-Dispatch (Dispatch In)
• UNE Digital Loop <DS1 .....	Retail Digital Loop <DS1
• UNE Digital Loop >=DS1 .....	Retail Digital Loop >=DS1
• UNE Loop + Port Combinations .....	Retail Residence and Business
- Dispatch Out .....	- Dispatch Out
- Non Dispatch .....	- Non Dispatch
- Dispatch In .....	- Dispatch In
- Switch Based .....	- Switch Based
• UNE Switch Ports .....	Retail Residence and Business (POTS)
• UNE Enhanced Extended Link/Non-Switched Combination .....	30% within 5 Days and 70% within 8 Days
• UNE Combo Other .....	Retail Residence, Business and Design Dispatch (Including Dispatch Out and Dispatch In)
- Dispatch .....	- Dispatch
- Non-Dispatch (Dispatch In) .....	- Non-Dispatch (Dispatch In)
• UNE xDSL (HDSL, ADSL and UCL) .....	
- Without Conditioning .....	6 Days
- With Conditioning .....	12 Days
• UNE UCL-Non-Designed .....	5 Days
• UNE ISDN .....	Retail ISDN BRI and PRI
• UNE UDC/IDSL .....	Retail ISDN BRI and PRI
• UNE Line Sharing .....	ADSL Provided to Retail
• UNE Line Splitting .....	ADSL Provided to Retail
• UNE Other Design .....	Retail Design
• UNE Other Non-Design .....	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport) .....	Retail DS1/DS3 Interoffice
• Local Interconnection Trunks .....	Parity with Retail

### SEEM Measure

SEEM	Tier I	Tier II
No .....		

### SEEM Level of Disaggregation

SEEM Level of Disaggregation	SEEM Analog/Benchmark
• Not Applicable .....	Not Applicable

THIS PAGE LEFT BLANK INTENTIONALLY

## P-4B: Firm Order Average Completion Interval (OCI) & Order Completion Interval Distribution

### Definition

The "Firm Order Average Completion Interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Firm Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

### Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc., which may be coded C, N, R, or T).
- Disconnect Orders
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- ~~End user caused missed appointments~~
- Rejected LSRs
- Sundays and Designated Holidays are excluded from the interval calculation
- LSRs which are identified and classified as "Projects"

Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website:  
<http://www.interconnection.bellsouth.com/centers/html/lcsc.html>.

For ASRs processed in the Local Interconnection Service Center (LISC), all hours outside of Monday – Friday 8:00 – 4:30 CST, should be excluded.

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

### Business Rules

For CLEC orders, the actual FOC and completion interval is determined for each order processed during the reporting period. For CLEC orders, the clock starts when BellSouth first receives a valid LSR or ASR and stops when the technician or system completes the order in SOCS. For BellSouth retail orders, an interval representing FOC time is added to the actual completion interval to determine a retail analog. Adding a representation of the FOC time is required since BellSouth retail orders do not have a process that is analogous to the CLEC ordering process. The start time for the completion interval for BellSouth retail orders is the timestamp of the first entry into SOCS and the stop time is when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

### Mechanized Rules for LSR Receipt:

- ~~Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator, LENS or TAG), that does not fall out for manual handling, until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI translator, LENS or TAG.~~



- **Partially Mechanized:** The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator, LENS, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI, LENS, or TAG.
- **Non-Mechanized:** The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.
- **Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported separately.

\*Note: When multiple FOCs occur on a single LSR, the first FOC is used to measure the LSR interval

## Calculation

**Firm Order Completion Interval = (a - b)**

- a = Completion Date
- b = Receipt of a valid LSR/ASR (CLEC orders); Earliest timestamp in SOCS + FOC (for BellSouth orders)

**Firm Order Average Completion Interval = (c ÷ d)**

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

**Firm Order Completion Interval Distribution (for each interval) = (e ÷ f) X 100**

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

## Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Dispatch/Non-Dispatch categories applicable to all levels except trunks
- ~~Fully Mechanized; Partially Mechanized; Non-Mechanized~~
- Residence, Business and UNE reported in day intervals = 0,1,2,3,4,5, >5
- Design is 0-<=5, >5-<=10, >10-<=15, >15-<=20, >20-<=25, >25-<=30, >30
- All Levels are reported <10 lines/circuits; >=10 lines/circuits (except trunks)
- Geographic Scope
  - State, Region

## Data Retained

### Relating to CLEC Experience

- Report Month
- CLEC Company Name
- Order Number (PON)
- Interval for FOC
- Completion Date (CMPLTN\_DT)
- Service Type (CLASS\_SVC\_DESC)
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

### Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Order Submission Date & Time

- Order Completion Date & Time
- Service Type
- Geographic Scope

## SQM Disaggregation - Analog/Benchmark

### Performance Standard (OCI+FOC)

Disaggregation	Analog/Benchmark (OCI)	Business Days (FOC) (Day Added to Interval)		
		FM	PM	NM
Resale Residence	Retail Residence	.5	1.0	2.5
Resale Business	Retail Business	.5	1.0	2.5
Resale Design	Retail Design	.5	1.0	2.5
Resale PBX	Retail PBX	.5	1.0	2.5
Resale Centrex	Retail Centrex	.5	1.0	2.5
Resale ISDN	Retail ISDN	.5	1.0	2.5
LNP (Standalone)	Retail Residence and Business (POTS)	.5	1.0	2.5
INP (Standalone)	Retail Residence and Business (POTS)	.5	1.0	2.5
2W Analog Loop Design	Retail Residence and Business (POTS) Plus One Day	.5	1.0	2.5
2W Analog Loop Non-Design	Retail Residence and Business - POTS Excluding Switch-Based Orders	.5	1.0	2.5
- Dispatch	- Dispatch	.5	1.0	2.5
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)	.5	1.0	2.5
2W Analog Loop With LNP-Design	Retail Residence and Business (POTS) Plus One Day	.5	1.0	2.5
2W Analog Loop With LNP- Non-Design	Retail Residence and Business (POTS) Excluding - Switch-Based Orders	.5	1.0	2.5
- Dispatch	- Dispatch	.5	1.0	2.5
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)	.5	1.0	2.5
2W Analog Loop With INP-Design	Retail Residence and Business (POTS) Plus One Day	.5	1.0	2.5
2W Analog Loop With INP-Non-Design	Retail Residence and Business (POTS) Excluding - Switch-Based Orders	.5	1.0	2.5
- Dispatch	- Dispatch	.5	1.0	2.5
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)	.5	1.0	2.5
UNE Digital Loop <DS1	Retail Digital Loop <DS1	.5	1.0	2.5
UNE Digital Loop >=DS1	Retail Digital Loop >=DS1	.5	1.0	2.5
UNE Loop + Port Combinations	Retail Residence and Business	.5	1.0	2.5
- Dispatch Out	- Dispatch Out	.5	1.0	2.5
- Non Dispatch	- Non Dispatch	.5	1.0	2.5
- Dispatch In	- Dispatch In	.5	1.0	2.5
- Switch Based	- Switch Based	.5	1.0	2.5
UNE Switch Ports	Retail Residence and Business (POTS)	.5	1.0	2.5
UNE Enhanced Extended Link/Non-Switched Combination	30% within 5 Days and 70% within 8 Days	.5	1.0	2.5
UNE Combo Other	Retail Residence, Business and Design Dispatch (Including Dispatch Out and Dispatch In)	.5	1.0	2.5
- Dispatch	- Dispatch	.5	1.0	2.5
- Non-Dispatch (Dispatch In)	- Non-Dispatch (Dispatch In)	.5	1.0	2.5
UNE xDSL (HDSL, ADSL and UCL)				
- Without Conditioning	6 Days	.5	1.0	2.5
- With Conditioning	12 Days	.5	1.0	2.5
UNE UCL-Non-Designed	5 Days	.5	1.0	2.5
UNE ISDN	Retail ISDN BRI and PRI	.5	1.0	2.5
UNE UDC/IDSL	Retail ISDN BRI and PRI	.5	1.0	2.5
UNE Line Sharing	ADSL Provided to Retail	.5	1.0	2.5
UNE Line Splitting	ADSL Provided to Retail	.5	1.0	2.5

P-4B: Firm Order Average Completion Interval (OCI) & Order Completion Interval Distribution

**Provisioning**

UNE Other Design  
UNE Other Non-Design  
Local Transport (Unbundled Interoffice Transport)  
Local Interconnection Trunks

Retail Design  
Retail Residence and Business  
Retail DS1/DS3 Interoffice  
Parity with Retail

<del>.5</del>	<del>1.0</del>	<del>2.5</del>
<del>.5</del>	<del>1.0</del>	<del>2.5</del>
<del>.5</del>	<del>1.0</del>	<del>2.5</del>
<del>NA</del>	<del>NA</del>	<del>10.0</del>

**SEEM Measure**

**SEEM**                      **Tier I**              **Tier II**

No .....

**SQM Level of Disaggregation**

- Not Applicable.....

**SQM Analog/Benchmark**

Not Applicable

**P-4B: Firm Order Average Completion Interval (OCI) & Order Completion Interval Distribution**

# **Revised Georgia SEEM Administrative Plan**

**With a black-line version  
indicating the changes**



# Georgia SEEM Administrative Plan

**Self-Effectuating Enforcement Mechanism (SEEM)**

**Version 1.2**

**Issue Date: July 22, 2003**

---

**Revision History**

<b>Version</b>	<b>Date</b>	<b>Notes</b>
V1.2	July 22, 2003	Revised reposting policy to agree with policy implemented in Florida.
V1.1	April 25, 2003	Revised Tier 3 Enforcement Mechanism on page 1-4 and added Market Penetration Adjustment section (1.44) based on Order. Modified first paragraph on page D-1. Updated Appendix B to conform with the SQM.
V1.0	March 1, 2003	Initial version

# Contents

<b>1 Administrative Plan</b>	<b>1-1</b>
1.1 Scope	1-1
1.2 Reporting	1-1
1.3 Review of Measurements	1-2
1.4 Enforcement Mechanisms	1-2
1.4.1 Definitions	1-2
1.4.2 Application	1-3
1.4.3 Methodology	1-4
1.4.4 Market penetration adjustment	1-5
1.4.5 Payment of Tier-1 and Tier-2 Amounts	1-6
1.4.6 Limitations of Liability	1-6
1.4.7 Enforcement Mechanism Cap	1-6
1.4.8 Audits	1-7
1.4.9 Dispute Resolution	1-7
<b>A Fee Schedule</b>	<b>A-1</b>
A.1 Liquidated Damages For Tier-1 Measures (Per Affected Item)	A-1
A.2 Remedy Payments For Tier-2 Measures	A-1
<b>B SEEM Submetrics</b>	<b>B-1</b>
B.1 Tier 1 Submetrics	B-1
B.2 Tier 2 Submetrics	B-4
B.3 Tier 3 Submetrics	B-7
<b>C Statistical Properties and Definitions</b>	<b>C-1</b>
C.1 Statistical Methods for BellSouth Performance Measure Analysis	C-1
C.1.1 Necessary Properties for a Test Methodology	C-1
C.1.2 Measurement Types	C-2
C.1.3 Testing Methodology – The Truncated Z	C-2
C.1.4 Proportion Measures	C-3
C.1.5 Rate Measures	C-3
C.1.6 Mean Measures	C-3
C.1.7 Ratio Measures	C-3

<b>D Statistical Formulas and Technical Description .....</b>	<b>D-1</b>
D.1 Notation and Exact Testing Distributions .....	D-1
D.2 Calculating the Truncated Z .....	D-4
D.2.1 Calculate Cell Weights ( $W_j$ ) .....	D-4
D.2.2 Calculate a Z Value ( $Z_j$ ) for each Cell .....	D-5
D.2.3 Obtain a Truncated Z Value for each Cell ( $Z^*j$ ) .....	D-7
D.2.4 Calculate the Theoretical Mean and Variance .....	D-8
D.2.5 Calculate the Aggregate Test Statistic ( $ZT$ ) .....	D-9
D.2.6 Determining the Parameters of the Alternative Hypothesis .....	D-15
<b>E BST SEEM Remedy Calculation Procedures .....</b>	<b>E-1</b>
E.1 Tier-1 Calculation For Retail Analogs .....	E-1
E.1.1 Example: CLEC-1 Missed Installation Appointments (MIA) for Resale POTS .....	E-1
E.1.2 Example: CLEC-1 Order Completion Interval (OCI) for Resale POTS .....	E-2
E.2 Tier-2 Calculation For Retail Analogues .....	E-3
E.2.1 Example: CLEC-A Missed Installation Appointments (MIA) for Resale POTS .....	E-3
E.2.2 Example: CLEC-A Missed Installation Appointments .....	E-4
E.3 Tier-1 Calculation For Benchmarks .....	E-4
E.3.1 Example: CLEC-1 Percent Missed Due Dates for Collocations .....	E-6
E.4 Tier-1 Calculation For Benchmarks (In The Form Of A Target) .....	E-6
E.4.1 Example: CLEC-1 Reject Timeliness .....	E-6
E.5 Tier-2 Calculations For Benchmarks .....	E-7
<b>F Reposting Of Performance Data and Recalculation of SEEM Payments .....</b>	<b>F-1</b>



# 1: Administrative Plan

## 1.1 Scope

This Administrative Plan (“Plan”) includes Service Quality Measurements (“SQM”) with corresponding Self Effectuating Enforcement Mechanisms (“SEEM”) to be implemented by BellSouth pursuant to the Orders issued by the Georgia Public Service Commission (the “Commission”) in Docket 7892-U.

All exhibits referred to in this plan are located on the BellSouth Performance Measurement Reports website at: <https://pmap.bellsouth.com>

## 1.2 Reporting

In providing services pursuant to the Interconnection Agreements between BellSouth and each CLEC, BellSouth will report its performance to each CLEC in accordance with BellSouth's SQMs and applicable SEEM, which are posted on the Performance Measurement Reports website.

BellSouth will make performance reports available to each CLEC on a monthly basis. The reports will contain information collected in each performance category and will be available to each CLEC via the Performance Measurements Reports website. BellSouth will also provide electronic access to the CLEC specific raw data, when possible, underlying the SQMs via the Performance Measurements website.

Preliminary SQM reports will be posted on the Performance Measurements Reports website by 8:00 A.M. EST on the 21st day of each month, or the first business day after the 21st, for the previous month's performance. Final validated SQM reports will be posted by 8:00 A.M. EST on the last day of the month, or the first business day thereafter. Final validated SQM reports not posted within 24 hours of this time will be considered late for late penalty purposes.

Final validated SEEM reports will be posted by 8:00 A.M. EST on the 15th day of the month, or the first business day thereafter, following the final validated SQM report.

BellSouth shall pay penalties to the Commission, in the aggregate, for late and incomplete SQM reports on the following progressive sliding scale: 1 -7 days - \$5,000; 8-15 days - \$10,000; 16-30 day - \$40,000; 31+ days - \$5,000 per day.

Such penalty shall be sent to the Commission or its designee within fifteen (15) calendar days of the end of the reporting month in which the final publication date of the updated report.

Tier-2 SEEM payments and Administrative fines and penalties for late and incomplete reports will be electronically transferred to the Commission on or before the 15th of the month.

BellSouth shall retain the performance measurement raw data files for a period of 18 months and further retain the data used in PMAP to produce monthly reports for a period of three years.

BellSouth will provide documentation of late and incomplete occurrences during the reporting month that data is posted to the website. The notations may be viewed on the Performance Measurements website from the PMAP home page on the Current Month Site Updates link.

### 1.3 Review of Measurements

Periodically BellSouth will review the SQM and the SEEM. All modifications to the SQM and SEEM will be approved by the Commission. Each CLEC may provide input regarding any suggested additions, deletions or other modifications to the SQM or the SEEM. BellSouth will provide notice of all changes to the SQM and SEEM via the Performance Measurement Reports website.

BellSouth acknowledges that the Commission reserves the right to modify the SQM or the SEEM plan at any time it deems necessary upon Commission order.

### 1.4 Enforcement Mechanisms

#### 1.4.1 Definitions

*Enforcement Measurement Elements* – the performance measurements identified as SEEM measurements within the SQM.

*Enforcement Measurement Benchmark* – a competitive level of performance used to evaluate the performance of BellSouth and each CLEC where no analogous retail process, product or service is feasible.

*Enforcement Measurement Compliance* – comparing performance levels provided to BellSouth retail customers with performance levels provided by BellSouth to the CLEC customer.

*Test Statistic and Balancing Critical Value* – the means by which enforcement will be determined using statistically valid equations. The Test Statistic and Balancing Critical Value are set forth in Exhibit C located on the Performance Measurements Reports website, incorporated herein by this reference.

*Cell* – a grouping of transactions at which like-to-like comparisons are made. For example, all BellSouth retail POTS services, for residential customers, requiring a dispatch in a particular wire center, at a particular point in time will be compared directly to CLEC resold services for residential customers, requiring a dispatch, in the same wire center, at a particular point in time. When determining compliance, these cells can have a positive or negative Test Statistic. See Exhibit C located on the Performance Measurements Reports website, incorporated herein by this reference.

*Affected Volume* – that proportion of the total impacted CLEC volume or CLEC Aggregate volume for which remedies will be paid.

*Delta* – a measure of the meaningful difference between BellSouth performance and CLEC performance. For individual CLECs the Delta value shall be .50 and for the CLEC aggregate the Delta value shall be .35.

*Parity Gap* – refers to the incremental departure from a compliant-level of service. This is also referred to as “diff” in the Statistical paper located at Exhibit C located on the Performance Measurements Reports website, incorporated herein by this reference.

*Tier-1 Enforcement Mechanisms* – self-executing liquidated damages paid directly to each impacted CLEC when BellSouth delivers non-compliant performance of any one of the Tier-1 Enforcement Measurement Elements for any month as calculated by BellSouth.

*Tier-2 Enforcement Mechanisms* – assessments paid directly to the Georgia Public Service Commission or its designee. Tier 2 Enforcement Mechanisms are triggered by three consecutive monthly failures in which BellSouth performance is out of compliance or does not meet the benchmarks for the aggregate of all CLEC data as calculated by BellSouth for a particular Tier-2 Enforcement Measurement Element.

*Tier-3 Enforcement Mechanisms* – Tier-3 Enforcement Mechanisms are triggered when BellSouth consistently fails at the CLEC aggregate level on any 12 of the 26 Tier-3 measurements for 3 consecutive months. BellSouth will voluntarily discontinue marketing long distance service in Georgia until such time as BellSouth's performance improves. For a Tier-3 failure, BST may begin marketing long distance when all 12 of the 26 failed sub-metrics show favorable results for 3 consecutive months.

#### **1.4.2 Application**

The application of the Tier-1, Tier-2 and Tier-3 Enforcement Mechanisms does not foreclose other legal and regulatory claims and remedies available to each CLEC.

Payment of any Tier-1, Tier-2 or Tier-3 Enforcement Mechanisms shall not be considered as an admission against interest or an admission of liability or culpability in any legal, regulatory or other proceeding relating to BellSouth's performance. The payment of any Tier-1 Enforcement Mechanisms to each CLEC shall be credited against any liability associated with or related to BellSouth's service performance.

The Enforcement Mechanisms contained in this Plan have been provided by BellSouth in order to maintain compliance between BellSouth and each CLEC. Therefore the existence of this section or any payments of any Tier-1, Tier-2, or Tier-3 Enforcement Mechanisms under this section does not constitute evidence that BellSouth has failed to comply with or has violated any state or federal law or regulation.

### **1.4.3 Methodology**

Tier-1 Enforcement Mechanisms will be triggered by BellSouth's failure to achieve applicable Enforcement Measurement Compliance or Enforcement Measurement Benchmarks for each CLEC for the State of Georgia for a given Enforcement Measurement Element in a given month. Enforcement Measurement Compliance is based upon a Test Statistic and Balancing Critical Value calculated by BellSouth utilizing BellSouth generated data. The method of calculation is set forth in Exhibit D located on the Performance Measurements Reports website, incorporated herein by this reference.

- Tier-1 Enforcement Mechanisms apply on a per transaction basis for each negative cell and will escalate based upon the number of consecutive months that BellSouth has reported non-compliance.
- Fee Schedule for Tier-1 Enforcement Mechanisms is shown on the Performance Measurement Reports website in Table-1 of Exhibit A, incorporated herein by this reference. Failures beyond Month 6 will be subject to Month 6 fees.

Tier-2 Enforcement Mechanisms will be triggered by BellSouth's failure to achieve applicable Enforcement Measurement Compliance or Enforcement Measurement Benchmarks for the State for given Enforcement Measurement Elements for three consecutive months based upon a statistically valid equation calculated by BellSouth utilizing BellSouth generated data. The method of calculation is set forth in Exhibit D located on the Performance Measurements Reports website, incorporated herein by this reference.

- Tier- 2 Enforcement Mechanisms apply, for an aggregate of all CLEC data generated by BellSouth, on a per transaction basis for each negative cell for a particular Enforcement Measurement Element.
- Fee Schedule for Total Quarterly Tier-2 Enforcement Mechanisms is shown on the Performance Measurement Reports website in Table-2 of Exhibit A, incorporated herein by this reference.

Tier-3 Enforcement Mechanisms are triggered when BellSouth consistently fails at the CLEC aggregate level on any 12 of the 26 Tier-3 measurements for 3 consecutive months. BellSouth will voluntarily discontinue marketing long distance service in Georgia until such time as BellSouth's performance improves. For a Tier-3 failure, BST may begin marketing long distance when all 12 of the 26 failed sub-metrics show favorable results for 3 consecutive months.

#### 1.4.4 Market penetration adjustment.

BellSouth shall implement a market penetration adjustment for new and advanced services as follows:

1. In order to ensure parity and benchmark performance where CLECs order low volumes of advanced and nascent services, BellSouth shall make additional payments to the Commission for deposit in the Georgia State Treasury when there are more than 10 and less than 100 observations for those measures listed below on average statewide for a three-month period.
  - Percent Missed Installation Appointments
    - UNE Loop+Port Combo
    - UNE xDSL
    - UNE Line Sharing
  - Average Completion Interval
    - UNE Loop+Port Combo
    - UNE xDSL
    - UNE Line Sharing
  - Missed Repair Appointments
    - UNE Loop+Port Combo
    - UNE xDSL
    - UNE Line Sharing
  - Maintenance Average Duration
    - UNE Loop+Port Combo
    - UNE xDSL
    - UNE Line Sharing
  - Average Response Time for Loop Make-Up Information
    - UNE Loop+Port Combo
    - UNE xDSL
    - UNE Line Sharing
2. The additional payments referenced in 1, above, shall be made if BellSouth fails to provide parity for the above measurements as determined by the use of the Truncated Z-Test and the balancing critical value for 3 consecutive months.
3. If, for the three months that are utilized to calculate the rolling average, there were 100 observations or more on average for the sub-metric, then no additional voluntary payments under this market penetration adjustment provision will be made to Commission for deposit with the State Treasury. However, if during the same time frame there is an average of more than 10 but less than 100 observations for a sub metric on statewide basis, then BellSouth shall calculate the additional payments to the Commission for deposit with the State Treasury by trebling the normal Tier II remedy and applying the method of calculating affected volumes ordered by the Commission.
4. Any payments made under this market penetration adjustment provision are subject to the Absolute Cap set by the Commission.

#### **1.4.5 Payment of Tier-1 and Tier-2 Amounts**

If BellSouth performance triggers an obligation to pay Tier-1 Enforcement Mechanisms to a CLEC or an obligation to remit Tier-2 Enforcement Mechanisms to the Commission or its designee, BellSouth shall make payment in the required amount on the day upon which the final validated SEEM reports are posted on the Performance Measurements Reports website as set forth in Section 2.4 above.

For each day after the due date that BellSouth fails to pay a CLEC the required amount, BellSouth will pay the CLEC 6% simple interest per annum.

If a CLEC disputes the amount paid for Tier-1 Enforcement Mechanisms, the CLEC shall submit a written claim to BellSouth within sixty (60) days after the date of the performance measurement report for which the obligation arose. BellSouth shall investigate all claims and provide the CLEC written findings within thirty (30) days after receipt of the claim. If BellSouth determines the CLEC is owed additional amounts, BellSouth shall pay the CLEC such additional amounts within thirty (30) days after its findings along with 6% simple interest per annum.

BellSouth may set off any SEEM payment to a CLEC against undisputed amounts owed by a CLEC to BellSouth pursuant to the Interconnection Agreement between the parties which have not been paid to BellSouth within ninety (90) days past the Bill Due Date as set forth in the Billing Attachment of the Interconnection Agreement.

At the end of each calendar year, BellSouth will have its independent auditing and accounting firm certify that the results of all Tier-1 and Tier-2 Enforcement Mechanisms were paid and accounted for in accordance with Generally Accepted Account Principles (GAAP).

#### **1.4.6 Limitations of Liability**

BellSouth shall not be obligated for Tier 1 or Tier 2 Enforcement Mechanisms that are triggered by causes beyond BellSouth's control and which could not have been avoided by exercise of due care. In the event of a force majeure, BellSouth may file a petition with the Commission seeking to have the monthly service results modified or may file an expedited petition seeking immediate relief from a payment pursuant to the SEEM plan. In the event of such a filing, BellSouth shall have the burden of demonstrating that the performance standard was not met due to causes beyond BellSouth's control and which could not have been avoided by exercise of due care. The filing of such a petition shall not stay payments under the SEEM plan unless otherwise ordered by the Commission.

#### **1.4.7 Enforcement Mechanism Cap**

BellSouth's total liability for the payment of Tier-1 and Tier-2 Enforcement Mechanisms shall be collectively capped at 44% of net revenue per year for the state of Georgia.

**1.4.8 Audits**

All auditing provisions of the Interconnection Agreement between BellSouth and each CLEC shall remain in full force and effect.

**1.4.9 Dispute Resolution**

Notwithstanding any other provision of the Interconnection Agreement between BellSouth and each CLEC, any dispute regarding BellSouth's performance or obligations pursuant to this Plan shall be resolved by the Commission.

## A: Fee Schedule

### A.1 Liquidated Damages For Tier-1 Measures (Per Affected Item)

Performance Measurement	Month 1	Month 2	Month3	Month4	Month 5	Month 6
Pre-Ordering	\$20	\$30	\$40	\$50	\$60	\$70
Ordering	\$40	\$50	\$60	\$70	\$80	\$90
Ordering - Flow Through	\$80	\$90	\$100	\$110	\$120	\$130
Provisioning	\$100	\$125	\$175	\$250	\$325	\$500
Provisioning UNE (Coordinated Customer Conversions)	\$400	\$450	\$500	\$550	\$650	\$800
Maintenance and Repair	\$100	\$125	\$175	\$250	\$325	\$500
Maintenance and Repair UNE	\$400	\$450	\$500	\$550	\$650	\$800
LNP	\$150	\$250	\$500	\$600	\$700	\$800
Billing	\$1.00	\$1.00	\$1.00	\$1.00	\$1.00	\$1.00
IC Trunks	\$100	\$125	\$175	\$250	\$325	\$500
Collocation	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000
Service Order Accuracy	\$50	\$50	\$50	\$50	\$50	\$50

### A.2 Remedy Payments For Tier-2 Measures

Performance Measurement	Per Affected Item
OSS/Pre-Ordering	\$20
Ordering	\$60
Ordering - Flow Through	\$100
Provisioning	\$300
Provisioning-UNE (Coordinated Customer Conversions)	\$875
Maintenance and Repair	\$300
Maintenance and Repair-UNE	\$875
Billing	\$1.00
LNP	\$500



Performance Measurement	Per Affected Item
IC Trunks	\$500
Collocation	\$15,000
Change Management	\$1,000
Service Order Accuracy	\$50

## B: SEEM Submetrics

### B.1 Tier 1 Submetrics

Item No.	SQM Ref	Submetric
1	PO-1	Loop Makeup - Response Time - Manual - Loop
2	PO-2	Loop Makeup - Response Time - Electronic - Loop
3	O-1	Acknowledgement Message Timeliness EDI
4	O-1	Acknowledgement Message Timeliness TAG
5	O-2	Acknowledgement Message Completeness EDI
6	O-2	Acknowledgement Message Completeness TAG
7	O-4	Percent Flow-Through Service Requests (Detail) - Residence
8	O-4	Percent Flow-Through Service Requests (Detail) - Business
9	O-4	Percent Flow-Through Service Requests (Detail) - UNE-P
10	O-4	Percent Flow-Through Service Requests (Detail) - UNE-Other
11	O-4	Percent Flow-Through Service Requests (Detail) - LNP
12	O-8	Reject Interval - Fully Mechanized
13	O-8	Reject Interval - Partially Mechanized
14	O-8	Reject Interval - Non-Mechanized
15	O-9	Firm Order Confirmation Timeliness - Fully Mechanized
16	O-9	Firm Order Confirmation Timeliness - Partially Mechanized
17	O-9	Firm Order Confirmation Timeliness - Non-Mechanized
18	O-9	Firm Order Confirmation Timeliness - IC Trunks
19	O-11	Firm Order Confirmation and Reject Response Completeness - Fully Mechanized
20	P-3	Percent Missed Installation Appointments - Resale POTS
21	P-3	Percent Missed Installation Appointments - Resale Design
22	P-3	Percent Missed Installation Appointments - UNE Loop and Port Combinations
23	P-3	Percent Missed Installation Appointments - UNE Loops
24	P-3	Percent Missed Installation Appointments - UNE xDSL
25	P-3	Percent Missed Installation Appointments - UNE Line Sharing
26	P-3	Percent Missed Installation Appointments - LNP - Standalone
27	P-3	Percent Missed Installation Appointments - Local Interconnection Trunks

Item No.	SQM Ref	Submetric
28	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Resale POTS
29	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Resale Design
30	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop and Port Combinations
31	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop Design
32	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop Non-Design
33	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE xDSL without conditioning
34	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE xDSL with conditioning
35	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Enhanced Extended Links/Non-Switched Combinations
36	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Line Sharing
37	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Local Inter-connection Trunks
38	P-7	Coordinated Customer Conversions Interval - Unbundled Loops
39	P-7A	Coordinated Customer Conversions - Hot Cut Timeliness % Within Interval and Average Interval - UNE Loops
40	P-7C	Hot Cut Conversions - Percent Provisioning Troubles Received within 7 days of a completed service order - UNE Loops
41	P-8	Cooperative Acceptance Testing - % of xDSL Loops Successfully Passing Cooperative Testing - UNE xDSL
42	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - Resale POTS
43	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - Resale Design
44	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE Loop and Port Combinations
45	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE Loops
46	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE xDSL
47	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE Line Sharing
48	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - Local Inter-connection Trunks
49	P-11	Service Order Accuracy (Mechanized Process) - Resale
50	P-11	Service Order Accuracy (Mechanized Process) - UNE
51	P-11	Service Order Accuracy (Mechanized Process) - UNE-P
52	P-13B	Percentage of Time BellSouth Applies the 10-digit Trigger Prior to the LNP Order Due Date - LNP

Item No.	SQM Ref	Submetric
53	P-13C	Percent Out of Service < 60 Minutes - LNP
54	P-13D	Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution (Non Trigger) - LNP
55	M&R-1	Missed Repair Appointments - Resale POTS
56	M&R-1	Missed Repair Appointments - Resale Design
57	M&R-1	Missed Repair Appointments - UNE Loop and Port Combinations
58	M&R-1	Missed Repair Appointments - UNE Loops
59	M&R-1	Missed Repair Appointments - UNE xDSL
60	M&R-1	Missed Repair Appointments - UNE Line Sharing
61	M&R-1	Missed Repair Appointments - Local Interconnection Trunks
62	M&R-2	Customer Trouble Report Rate - Resale POTS
63	M&R-2	Customer Trouble Report Rate - Resale Design
64	M&R-2	Customer Trouble Report Rate - UNE Loop and Port Combinations
65	M&R-2	Customer Trouble Report Rate - UNE Loops
66	M&R-2	Customer Trouble Report Rate - UNE xDSL
67	M&R-2	Customer Trouble Report Rate - UNE Line Sharing
68	M&R-2	Customer Trouble Report Rate - Local Interconnection Trunks
69	M&R-3	Maintenance Average Duration - Resale POTS
70	M&R-3	Maintenance Average Duration - Resale Design
71	M&R-3	Maintenance Average Duration - UNE Loop and Port Combinations
72	M&R-3	Maintenance Average Duration - UNE Loops
73	M&R-3	Maintenance Average Duration - UNE xDSL
74	M&R-3	Maintenance Average Duration - UNE Line Sharing
75	M&R-3	Maintenance Average Duration - Local Interconnection Trunks
76	M&R-4	Percent Repeat Troubles within 30 days - Resale POTS
77	M&R-4	Percent Repeat Troubles within 30 days - Resale Design
78	M&R-4	Percent Repeat Troubles within 30 days - UNE Loop and Port Combinations
79	M&R-4	Percent Repeat Troubles within 30 days - UNE Loops
80	M&R-4	Percent Repeat Troubles within 30 days - UNE xDSL
81	M&R-4	Percent Repeat Troubles within 30 days - UNE Line Sharing
82	M&R-4	Percent Repeat Troubles within 30 days - Local Interconnection Trunks
83	B-1	Invoice Accuracy
84	B-2	Mean Time to Deliver Invoices - CRIS
85	B-2	Mean Time to Deliver Invoices - CABS
86	B-3	Usage Data Delivery Accuracy
87	TGP-2	Trunk Group Performance - CLEC Specific - CLEC trunk group
88	C-3	Collocation Percent of Due Dates Missed - All Collocation Arrangements

## B.2 Tier 2 Submetrics

Item No	SQM Ref	Submetric
1	OSS-1	Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering) - LENS
2	OSS-1	Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering) - TAG
3	OSS-2	OSS Availability (Pre-Ordering/Ordering) - Regional per OSS Interface
4	OSS-3	OSS Availability (Maintenance & Repair) - Regional per OSS Interface
5	PO-1	Loop Makeup - Response Time - Manual - Loop
6	PO-2	Loop Makeup - Response Time - Electronic - Loop
7	O-1	Acknowledgement Message Timeliness - EDI
8	O-1	Acknowledgement Message Timeliness - TAG
9	O-2	Acknowledgement Message Completeness EDI
10	O-2	Acknowledgement Message Completeness TAG
11	O-3	Percent Flow-through Service Requests (Summary)- Residence
12	O-3	Percent Flow-Through Service Requests (Summary)- Business
13	O-3	Percent Flow-Through Service Requests (Summary)- UNE-P
14	O-3	Percent Flow-Through Service Requests (Summary)- UNE-Other
15	O-3	Percent Flow-Through Service Requests (Summary)- LNP
16	O-8	Reject Interval- Fully Mechanized
17	O-8	Reject Interval- Partially Mechanized
18	O-8	Reject Interval- Non-Mechanized
19	O-9	Firm Order Confirmation Timeliness- Fully Mechanized
20	O-9	Firm Order Confirmation Timeliness- Partially Mechanized
21	O-9	Firm Order Confirmation Timeliness- Non-Mechanized
22	O-9	Firm Order Confirmation Timeliness- IC Trunks
23	O-11	Firm Order Confirmation and Reject Response Completeness - Fully Mechanized
24	P-3	Percent Missed Installation Appointments - Resale POTS
25	P-3	Percent Missed Installation Appointments - Resale Design
26	P-3	Percent Missed Installation Appointments - UNE Loop and Port Combinations
27	P-3	Percent Missed Installation Appointments - UNE Loops
28	P-3	Percent Missed Installation Appointments - UNE xDSL
29	P-3	Percent Missed Installation Appointments - UNE Line Sharing
30	P-3	Percent Missed Installation Appointments - LNP - Standalone
31	P-3	Percent Missed Installation Appointments - Local Interconnection Trunks
32	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Resale POTS
33	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Resale Design

Item No	SQM Ref	Submetric
34	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop and Port Combinations
35	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop Design
36	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop Non-Design
37	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE xDSL without conditioning
38	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE xDSL with conditioning
39	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Enhanced Extended Links/Non-Switched Combinations
40	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Line Sharing
41	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Local Interconnection Trunks
42	P-7	Coordinated Customer Conversions Interval - Unbundled Loops
43	P-7A	Coordinated Customer Conversions - Hot Cut Timeliness Percent within interval and Average Interval- UNE Loops
44	P-7C	Hot Cut Conversions - Percent Provisioning Troubles Received within 7 days of a completed service order - UNE Loops
45	P-8	Cooperative Acceptance Testing - Percent xDSL Loops Successful Passing Cooperative Testing - UNE xDSL
46	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - Resale POTS
47	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - Resale Design
48	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE Loop and Port Combinations
49	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE Loops
50	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE xDSL
51	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE Line Sharing
52	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - Local Interconnection Trunks
53	P-11	Service Order Accuracy (Mechanized Process) - Resale
54	P-11	Service Order Accuracy (Mechanized Process) - UNE
55	P-11	Service Order Accuracy (Mechanized Process) - UNE-P
56	P-13B	Percentage of Time BellSouth Applies the 10-digit Trigger Prior to the LNP Order Due Date - LNP
57	P-13C	Percent Out of Service < 60 Minutes - LNP
58	P-13D	Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution (Non Trigger) - LNP

Item No	SQM Ref	Submetric
59	M&R-1	Missed Repair Appointments - Resale POTS
60	M&R-1	Missed Repair Appointments - Resale Design
61	M&R-1	Missed Repair Appointments - UNE Loop and Port Combinations
62	M&R-1	Missed Repair Appointments - UNE Loops
63	M&R-1	Missed Repair Appointments - UNE xDSL
64	M&R-1	Missed Repair Appointments - UNE Line Sharing
65	M&R-1	Missed Repair Appointments - Local Interconnection Trunks
66	M&R-2	Customer Trouble Report Rate - Resale POTS
67	M&R-2	Customer Trouble Report Rate - Resale Design
68	M&R-2	Customer Trouble Report Rate - UNE Loop and Port Combinations
69	M&R-2	Customer Trouble Report Rate - UNE Loops
70	M&R-2	Customer Trouble Report Rate - UNE xDSL
71	M&R-2	Customer Trouble Report Rate - UNE Line Sharing
72	M&R-2	Customer Trouble Report Rate - Local Interconnection Trunks
73	M&R-3	Maintenance Average Duration - Resale POTS
74	M&R-3	Maintenance Average Duration - Resale Design
75	M&R-3	Maintenance Average Duration - UNE Loop and Port Combinations
76	M&R-3	Maintenance Average Duration - UNE Loops
77	M&R-3	Maintenance Average Duration - UNE xDSL
78	M&R-3	Maintenance Average Duration - UNE Line Sharing
79	M&R-3	Maintenance Average Duration - Local Interconnection Trunks
80	M&R-4	Percent Repeat Troubles within 30 days - Resale POTS
81	M&R-4	Percent Repeat Troubles within 30 days - Resale Design
82	M&R-4	Percent Repeat Troubles within 30 days - UNE Loop and Port Combinations
83	M&R-4	Percent Repeat Troubles within 30 days - UNE Loops
84	M&R-4	Percent Repeat Troubles within 30 days - UNE xDSL
85	M&R-4	Percent Repeat Troubles within 30 days - UNE Line Sharing
86	M&R-4	Percent Repeat Troubles within 30 days - Local Interconnection Trunks
87	B-1	Invoice Accuracy
88	B-2	Mean Time to Deliver Invoices- CRIS
89	B-2	Mean Time to Deliver Invoices- CABS
90	B-3	Usage Data Delivery Accuracy
91	TGP-1	Trunk Group Performance - CLEC Aggregate
92	C-3	Collocation Percent of Due Dates Missed - All Collocation Arrangements
93	CM-1	Timeliness of Change Management Notices - Region
94	CM-3	Timeliness of Documents Associated with Change - Region
95	CM-6	Percent of Software Errors Corrected in X (10, 30, 45) Business Days - Region
96	CM-7	Percent of Change Requests Accepted or Rejected Within 10 Days - Region

Item No	SQM Ref	Submetric
97	CM-11	Percent of Change Requests Implemented Within 60 Weeks of Prioritization - Region

### B.3 Tier 3 Submetrics

Item No.	SQM Ref	Submetric
1	P-3	Percent Missed Installation Appointments - Resale POTS
2	P-3	Percent Missed Installation Appointments - Resale Design
3	P-3	Percent Missed Installation Appointments - UNE Loop
4	P-3	Percent Missed Installation Appointments - UNE Loop & Port Combo
5	P-3	Percent Missed Installation Appointments - UNE xDSL (ADSL, HDSL, UCL)
6	P-3	Percent Missed Installation Appointments - UNE Line Sharing
7	P-3	Percent Missed Installation Appointments - LNP Standalone
8	P-3	Percent Missed Installation Appointments - Local Interconnection Trunks
9	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Resale POTS
10	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Resale Design
11	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop and Port Combinations
12	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop Design
13	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop Non-Design
14	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE xDSL without conditioning
15	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE xDSL with conditioning
16	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Enhanced Extended Links/Non-Switched Combinations
17	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Line Sharing
18	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Local Interconnection Trunks
19	M&R-1	Missed Repair Appointments - Resale POTS
20	M&R-1	Missed Repair Appointments - Resale Design
21	M&R-1	Missed Repair Appointments - UNE Loop + Port Combo
22	M&R-1	Missed Repair Appointments - UNE Loops
23	M&R-1	Missed Repair Appointments - UNE xDSL
24	M&R-1	Missed Repair Appointments - UNE Line Sharing



Item No.	SQM Ref	Submetric
25	M&R-1	Missed Repair Appointments - Local Interconnection Trunks
26	B-1	Invoice Accuracy
27	B-2	Mean Time To Deliver Invoices - CRIS
28	B-2	Mean Time To Deliver Invoices - CABS
29	TGP-1	Trunk Group Performance - CLEC Aggregate
30	C-3	Collocation Percent of Due Dates Missed - All Collocation Agreements
31	CM-1	Timeliness of Change Management Notices - Region
32	CM-3	Timeliness of Documents Associated with Change - Region

## C: Statistical Properties and Definitions

### C.1 Statistical Methods for BellSouth Performance Measure Analysis

#### C.1.1 Necessary Properties for a Test Methodology

The statistical process for testing if competing local exchange carriers (CLECs) customers are being treated equally with BellSouth (BST) customers involves more than just a mathematical formula. Three key elements need to be considered before an appropriate decision process can be developed. These are

- the type of data,
- the type of comparison, and
- the type of performance measure.

Once these elements are determined a test methodology should be developed that complies with the following properties.

- *Like-to-Like Comparisons* – When possible, data should be compared at appropriate levels, e.g. wire center, time of month, dispatched, and residential, new orders. The testing process should:
  - Identify variables that may affect the performance measure.
  - Record these important confounding covariates.
  - Adjust for the observed covariates in order to remove potential biases and to make the CLEC and the ILEC units as comparable as possible.
- *Aggregate Level Test Statistic* – Each performance measure of interest should be summarized by one overall test statistic giving the decision maker a rule that determines whether a statistically significant difference exists. The test statistic should have the following properties.
  - The method should provide a single overall index, on a standard scale.
  - If entries in comparison cells are exactly proportional over a covariate, the aggregated index should be very nearly the same as if comparisons on the covariate had not been done.
  - The contribution of each comparison cell should depend on the number of observations in the cell.
  - Cancellation between comparison cells should be limited.
  - The index should be a continuous function of the observations.

- *Production Mode Process* – The decision system must be developed so that it does not require intermediate manual intervention, i.e. the process must be a “black box.”
  - Calculations are well defined for possible eventualities.
  - The decision process is an algorithm that needs no manual intervention.
  - Results should be arrived at in a timely manner.
  - The system must recognize that resources are needed for other performance measure-related processes that also must be run in a timely manner.
  - The system should be auditable, and adjustable over time.
- *Balancing* – The testing methodology should balance Type I and Type II Error probabilities.
  - $P(\text{Type I Error}) = P(\text{Type II Error})$  for well defined null and alternative hypotheses.
  - The formula for a test's balancing critical value should be simple enough to calculate using standard mathematical functions, i.e. one should avoid methods that require computationally intensive techniques.
  - Little to no information beyond the null hypothesis, the alternative hypothesis, and the number of observations should be required for calculating the balancing critical value.
- *Trimming* – Removing extreme observations from BellSouth and CLEC distributions is needed in order to ensure that a fair comparison is made between performance measures. Three conditions are needed to accomplish this goal. These are:
  - Trimming should be based on a general rule that can be used in a production setting.
  - Trimmed observations should not simply be discarded; they need to be examined and possibly used in the final decision making process.
  - Trimming should only be used on performance measures that are sensitive to “outliers.”

### C.1.2 Measurement Types

The performance measures that will undergo testing are of four types:

- means
- proportions,
- rates, and
- ratio

While all four have similar characteristics, proportions and rates are derived from count data while means and ratios are derived from interval measurements.

### C.1.3 Testing Methodology – The Truncated Z

Many covariates are chosen in order to provide deep comparison levels. In each comparison cell, a Z statistic is calculated. The form of the Z statistic may vary depending on the performance measure, but it should be distributed approximately as a standard normal, with mean zero and variance equal to one. Assuming that the test statistic is derived so that it is negative when the performance for the CLEC is worse than for the ILEC, a positive truncation is done – i.e. if the

result is negative it is left alone, if the result is positive it is changed to zero. A weighted average of the truncated statistics is calculated where a cell weight depends on the volume of BST and CLEC orders in the cell. The weighted average is re-centered by the theoretical mean of a truncated distribution, and this is divided by the standard error of the weighted average. The standard error is computed assuming a fixed effects model.

#### **C.1.4 Proportion Measures**

For performance measures that are calculated as a proportion, in each adjustment cell, the truncated Z and the moments for the truncated Z can be calculated in a direct manner. In adjustment cells where proportions are not close to zero or one, and where the sample sizes are reasonably large, a normal approximation can be used. In this case, the moments for the truncated Z come directly from properties of the standard normal distribution. If the normal approximation is not appropriate, then the Z statistic is calculated from the hypergeometric distribution. In this case, the moments of the truncated Z are calculated exactly using the hypergeometric probabilities.

#### **C.1.5 Rate Measures**

The truncated Z methodology for rate measures has the same general structure for calculating the Z in each cell as proportion measures. For a rate measure, there are a fixed number of circuits or units for the CLEC,  $n_{2j}$  and a fixed number of units for BST,  $n_{1j}$ . Suppose that the performance measure is a "trouble rate." The modeling assumption is that the occurrence of a trouble is independent between units and the number of troubles in n circuits follows a Poisson distribution with mean  $\lambda_n$  where  $\lambda$  is the probability of a trouble in 1 circuit and n is the number of circuits.

In an adjustment cell, if the number of CLEC troubles is greater than 15 and the number of BST troubles is greater than 15, then the Z test is calculated using the normal approximation to the Poisson. In this case, the moments of the truncated Z come directly from properties of the standard normal distribution. Otherwise, if there are very few troubles, the number of CLEC troubles can be modeled using a binomial distribution with n equal to the total number of troubles (CLEC plus BST troubles.) In this case, the moments for the truncated Z are calculated explicitly using the binomial distribution.

#### **C.1.6 Mean Measures**

For mean measures, an adjusted "t" statistic is calculated for each like-to-like cell which has at least 7 BST and 7 CLEC transactions. A permutation test is used when one or both of the BST and CLEC sample sizes is less than 6. Both the adjusted "t" statistic and the permutation calculation are described in Appendix D, Statistical Formulas and Technical Description.

#### **C.1.7 Ratio Measures**

Rules will be given for computing a cell test statistic for a ratio measure, however, the current plan for measures in this category, namely billing accuracy, does not call for the use of a Z parity statistic.

## D: Statistical Formulas and Technical Description

### D.1 Notation and Exact Testing Distributions

Below, we have detailed the basic notation for the construction of the truncated  $z$  statistic. In what follows the word "cell" should be taken to mean a like-to-like comparison cell that has both one (or more) ILEC observation and one (or more) CLEC observation. Additionally, at the cell level, BellSouth uses the SQM retail analog as a guide to determine the specific products that should be compared in each cell.

$L =$	the total number of occupied cells
$j =$	$1, \dots, L$ ; an index for the cells
$n_{1j} =$	the number of ILEC transactions in cell $j$
$n_{2j} =$	the number of CLEC transactions in cell $j$
$n_j =$	the total number transactions in cell $j$ ; $n_{1j} + n_{2j}$
$X_{1jk} =$	individual ILEC transactions in cell $j$ ; $k = 1, \dots, n_{1j}$
$X_{2jk} =$	individual CLEC transactions in cell $j$ ; $k = 1, \dots, n_{2j}$
$Y_{jk} =$	individual transaction (both ILEC and CLEC) in cell $j$
	$= \begin{cases} X_{1jk} & k = 1, \dots, n_{1j} \\ X_{2jk} & k = n_{1j} + 1, \dots, n_j \end{cases}$
$\Phi^{-1}(\cdot) =$	the inverse of the cumulative standard normal distribution function

For Mean Performance Measures the following additional notation is needed.

$\bar{X}_{1j}$  = The ILEC sample mean of cell j

$\bar{X}_{2j}$  = The CLEC sample mean of cell j

$s_{1j}^2$  = The ILEC sample variance in cell j

$s_{2j}^2$  = The CLEC sample variance in cell j

$\{y_{jk}\}$  = a random sample of size  $n_{2j}$  from the set of  $Y_{j1}, \dots, Y_{jn_j}$ ;  $k = 1, \dots, n_{2j}$

$M_j$  = The total number of distinct pairs of samples of size  $n_{1j}$  and  $n_{2j}$ ;

$$= \binom{n_j}{n_{1j}}$$

The exact parity test is the permutation test based on the “modified Z” statistic. For large samples, we can avoid permutation calculations since this statistic will be normal (or Student's t) to a good approximation. For small samples, where we cannot avoid permutation calculations, we have found that the difference between “modified Z” and the textbook “pooled Z” is negligible. We therefore propose to use the permutation test based on pooled Z for small samples. This decision speeds up the permutation computations considerably, because for each permutation we need only compute the sum of the CLEC sample values, and not the pooled statistic itself.

A permutation probability mass function distribution for cell j, based on the “pooled Z” can be written as

$$PM(t) = P(\sum_k y_{jk} = t) = \frac{\text{the number of samples that sum to } t}{M_j}$$

and the corresponding cumulative permutation distribution is

$$CPM(t) = P(\sum_k y_{jk} \leq t) = \frac{\text{the number of samples with sum } \leq t}{M_j}$$

For Proportion Performance Measures the following notation is defined

- $a_{1j}$  = The number of ILEC cases possessing an attribute of interest in cell  $j$   
 $a_{2j}$  = The number of CLEC cases possessing an attribute of interest in cell  $j$   
 $a_j$  = The number of cases possessing an attribute of interest in cell  $j$ ;  $a_{1j} + a_{2j}$

The exact distribution for a parity test is the hypergeometric distribution. The hypergeometric probability mass function distribution for cell  $j$  is:

$$HG(h) = P(H = h) = \begin{cases} \frac{\binom{n_{1j}}{h} \binom{n_{2j}}{a_j - h}}{\binom{n_j}{a_j}}, & \max(0, a_j - n_{2j}) \leq h \leq \min(a_j, n_{1j}) \\ 0 & \text{otherwise} \end{cases}$$

and the cumulative hypergeometric distribution is:

$$CHG(x) = P(H \leq x) = \begin{cases} 0 & x < \max(0, a_j - n_{2j}) \\ \sum_{h=\max(0, a_j - n_{2j})}^x HG(h), & \max(0, a_j - n_{2j}) \leq x \leq \min(a_j, n_{1j}) \\ 1 & x > \min(a_j, n_{1j}) \end{cases}$$

For Rate Measures, the notation needed is defined as

- $b_{1j}$  = The number of ILEC base elements in cell  $j$   
 $b_{2j}$  = The number of CLEC base elements in cell  $j$   
 $b_j$  = The total number of base elements in cell  $j$ ;  $b_{1j} + b_{2j}$   
 $\hat{r}_{1j}$  = The ILEC sample rate of cell  $j$ ;  $n_{1j}/b_{1j}$   
 $\hat{r}_{2j}$  = The CLEC sample rate of cell  $j$ ;  $n_{2j}/b_{2j}$   
 $q_j$  = The relative proportion of ILEC elements for cell  $j$ ;  $b_{1j}/b_j$

The exact distribution for a parity test is the binomial distribution. The binomial probability mass function distribution for cell  $j$  is

$$BN(k) = P(B = k) = \begin{cases} \binom{n_j}{k} q_j^k (1 - q_j)^{n_j - k}, & 0 \leq k \leq n_j \\ 0 & \text{otherwise} \end{cases}$$

and the cumulative binomial distribution is

$$CBN(x) = P(B \leq x) = \begin{cases} 0 & x < 0 \\ \sum_{k=0}^x BN(k), & 0 \leq x \leq n_j \\ 1 & x > n_j \end{cases}$$

For Ratio Performance Measures the following additional notation is needed.

$U_{1jk}$  = additional quantity of interest of an individual ILEC transaction in cell  $j$ ;  $k = 1, \dots, n_{1j}$

$U_{2jk}$  = additional quantity of interest of an individual CLEC transaction in cell  $j$ ;  $k = 1, \dots, n_{2j}$

$\hat{R}_{ij}$  = the ILEC ( $i = 1$ ) or CLEC ( $i = 2$ ) ratio of the total additional quantity of interest to the base transaction total in cell  $j$ , i.e.,  
 $\sum_i U_{ijk} / \sum_i X_{ijk}$

## D.2 Calculating the Truncated Z

The general methodology for calculating an aggregate level test statistic is outlined below.

### D.2.1 Calculate Cell Weights ( $W_j$ )

A weight based on the number of transactions is used so that a cell, which has a larger number of transactions, has a larger weight. The actual weight formulae will depend on the type of measure.

#### Mean or Ratio Measure

$$W_j = \sqrt{\frac{n_{1j} n_{2j}}{n_j}}$$



### Proportion Measure

$$W_j = \sqrt{\frac{n_{2j}n_{1j}}{n_j} \cdot \frac{a_j}{n_j} \cdot \left(1 - \frac{a_j}{n_j}\right)}$$

### Rate Measure

$$W_j = \sqrt{\frac{b_{1j}b_{2j}}{b_j} \cdot \frac{n_j}{b_j}}$$

## D.2.2 Calculate a Z Value ( $Z_j$ ) for each Cell

A Z statistic with mean 0 and variance 1 is needed for each cell.

- If  $W_j = 0$ , set  $Z_j = 0$ .
- Otherwise, the actual Z statistic calculation depends on the type of performance measure.

### Mean Measure

$$Z_j = \Phi^{-1}(\alpha)$$

where  $\alpha$  is determined by the following algorithm.

If  $\min(n_{1j}, n_{2j}) > 6$ , then determine  $\alpha$  as

$$\alpha = P(t_{n_{1j}-1} \leq T_j)$$

that is,  $\alpha$  is the probability that a t random variable with  $n_{1j} - 1$  degrees of freedom, is less than

$$T_j = \begin{cases} t_j + \frac{g}{6} \left( \frac{n_{1j} + 2n_{2j}}{\sqrt{n_{1j} n_{2j} (n_{1j} + n_{2j})}} \right) \left( t_j^2 + \frac{n_{2j} - n_{1j}}{n_{1j} + 2n_{2j}} \right) & t_j \geq t_{\min j} \\ t_j + \frac{g}{6} \left( \frac{n_{1j} + 2n_{2j}}{\sqrt{n_{1j} n_{2j} (n_{1j} + n_{2j})}} \right) \left( t_{\min j}^2 + \frac{n_{2j} - n_{1j}}{n_{1j} + 2n_{2j}} \right) & \text{otherwise} \end{cases}$$

where

$$t_j = \frac{\bar{X}_{1j} - \bar{X}_{2j}}{s_{1j} \sqrt{\frac{1}{n_{1j}} + \frac{1}{n_{2j}}}}$$

$$t_{\min j} = \frac{-3\sqrt{n_{1j}n_{2j}n_j}}{g(n_{1j} + 2n_{2j})}$$

and  $g$  is the median value of all values of

$$\gamma_{1j} = \frac{n_{1j}}{(n_{1j} - 1)(n_{1j} - 2)} \sum_k \left( \frac{X_{1jk} - \bar{X}_{1j}}{s_{1j}} \right)^3$$

with  $n_{1j} > n_{3q}$  for all values of  $j$ .  $n_{3q}$  is the 3 quartile of all values of  $n_{1j}$ .

Note, that  $t_j$  is the “modified Z” statistic. The statistic  $T_j$  is a “modified Z” corrected for the skewness of the ILEC data.

If  $\min(n_{1j}, n_{2j}) \leq 6$ , and

- $M_j \leq 1,000$  (the total number of distinct pairs of samples of size  $n_{1j}$  and  $n_{2j}$  is 1,000 or less).
  - Calculate the sample sum for all possible samples of size  $n_{2j}$ .
  - Rank the sample sums from smallest to largest. Ties are dealt by using average ranks.
  - Let  $R_0$  be the rank of the observed sample sum with respect all the sample sums.

$$\alpha = 1 - \frac{R_0 - 0.5}{M_j}$$

- $M_j > 1,000$ 
  - Draw a random sample of 1,000 sample sums from the permutation distribution.
  - Add the observed sample sum to the list. There are a total of 1001 sample sums. Rank the sample sums from smallest to largest. Ties are dealt by using average ranks.
  - Let  $R_0$  be the rank of the observed sample sum with respect all the sample sums.

$$\alpha = 1 - \frac{R_0 - 0.5}{1001}$$

### Proportion Measure

$$Z_j = \frac{n_j a_{1j} - n_{1j} a_j}{\sqrt{\frac{n_{1j} n_{2j} a_j (n_j - a_j)}{n_j - 1}}}$$

### Rate Measure

$$Z_j = \frac{n_{1j} - n_j q_j}{\sqrt{n_j q_j (1 - q_j)}}$$

### Ratio Measure

$$Z_j = \frac{\hat{R}_{1j} - \hat{R}_{2j}}{\sqrt{V(\hat{R}_{1j}) \left( \frac{1}{n_{1j}} + \frac{1}{n_{2j}} \right)}}$$

$$V(\hat{R}_{1j}) = \frac{\sum_k (U_{1jk} - \hat{R}_{1j} X_{1jk})^2}{\bar{X}_{1j}^2 (n_{1j} - 1)} = \frac{\sum_k U_{1jk}^2 - 2\hat{R}_{1j} \sum_k (U_{1jk} X_{1jk}) + \hat{R}_{1j}^2 \sum_k X_{1jk}^2}{\bar{X}_{1j}^2 (n_{1j} - 1)}$$

### D.2.3 Obtain a Truncated Z Value for each Cell ( $Z_j^*$ )

To limit the amount of cancellation that takes place between cell results during aggregation, cells whose results suggest possible favoritism are left alone. Otherwise the cell statistic is set to zero. This means that positive equivalent Z values are set to 0, and negative values are left alone. Mathematically, this is written as

$$Z_j^* = \min(0, Z_j)$$

## D.2.4 Calculate the Theoretical Mean and Variance

Calculate the theoretical mean and variance of the truncated statistic under the null hypothesis of parity,  $E(Z_j^* | H_0)$  and  $\text{Var}(Z_j^* | H_0)$ . To compensate for the truncation in step 3, an aggregated, weighted sum of the  $Z_j^*$  will need to be centered and scaled properly so that the final aggregate statistic follows a standard normal distribution.

- If  $W_j = 0$ , then no evidence of favoritism is contained in the cell. The formulae for calculating  $E(Z_j^* | H_0)$  and  $\text{Var}(Z_j^* | H_0)$  cannot be used. Set both equal to 0.
- If  $\min(n_{1j}, n_{2j}) > 6$  for a mean measure,  $\min\{a_{1j}(1 - \frac{a_{2j}}{a_{1j}}), a_{2j}(1 - \frac{a_{1j}}{a_{2j}})\} > 9$  for a proportion measure,  $\min(n_{1j}, n_{2j}) > 15$  and  $n_j q_j(1 - q_j) > 9$  for a rate measure, or  $n_{1j}$  and  $n_{2j}$  are large for a ratio measure then

$$E(Z_j^* | H_0) = -\frac{1}{\sqrt{2\pi}}$$

and

$$\text{Var}(Z_j^* | H_0) = \frac{1}{2} - \frac{1}{2\pi}$$

- Otherwise, determine the total number of values for  $Z_j^*$ . Let  $z_{ji}$  and  $\theta_{ji}$  denote the values of  $Z_j^*$  and the probabilities of observing each value, respectively.

$$E(Z_j^* | H_0) = \sum_i \theta_{ji} z_{ji}$$

and

$$\text{Var}(Z_j^* | H_0) = \sum_i \theta_{ji} z_{ji}^2 - [E(Z_j^* | H_0)]^2$$

The actual values of the z's and  $\theta$ 's depends on the type of measure.

### Mean Measure

$$N_j = \min(M_j, 1,000), \quad i = 1, \dots, N_j$$

$$z_{ji} = \min \left\{ 0, \Phi^{-1} \left( 1 - \frac{R_i - 0.5}{N_j} \right) \right\} \quad \text{where } R_i \text{ is the rank of sample sum } i$$

$$\theta_j = \frac{1}{N_j}$$

### Proportion Measure

$$z_{ji} = \min \left\{ 0, \frac{n_j i - n_{1j} a_j}{\sqrt{\frac{n_{1j} n_{2j} a_j (n_j - a_j)}{n_j - 1}}} \right\}, \quad i = \max(0, a_j - n_{2j}), \dots, \min(a_j, n_{1j})$$

$$\theta_{ji} = \text{HG}(i)$$

### Rate Measure

$$z_{ji} = \min \left\{ 0, \frac{i - n_j q_j}{\sqrt{n_j q_j (1 - q_j)}} \right\}, \quad i = 0, \dots, n_j$$

$$\theta_{ji} = \text{BN}(i)$$

### Ratio Measure

The performance measure that is in this class is billing accuracy. If a parity test were used, the sample sizes for this measure are quite large, so there is no need for a small sample technique. If one does need a small sample technique, then a re-sampling method can be used.

## D.2.5 Calculate the Aggregate Test Statistic ( $Z^T$ )

$$Z^T = \frac{\sum_j W_j Z_j^* - \sum_j W_j E(Z_j^* | H_0)}{\sqrt{\sum_j W_j^2 \text{Var}(Z_j^* | H_0)}}$$

### The Balancing Critical Value

There are four key elements of the statistical testing process:

- the null hypothesis,  $H_0$ , that parity exists between ILEC and CLEC services
- the alternative hypothesis,  $H_a$ , that the ILEC is giving better service to its own customers
- the Truncated Z test statistic,  $Z^T$ , and
- a critical value,  $c$

The decision rule<sup>1</sup> is

If  $Z^T < c$  then accept  $H_a$ .

If  $Z^T \geq c$  then accept  $H_0$ .

There are two types of error possible when using such a decision rule:

**Type I Error:** Deciding favoritism exists when there is, in fact, no favoritism.

**Type II Error:** Deciding parity exists when there is, in fact, favoritism.

The probabilities of each type of each are:

- **Type I Error:**  $\alpha = P(Z^T < c | H_0)$
- **Type II Error:**  $\beta = P(Z^T \geq c | H_a)$

We want a balancing critical value,  $c_B$ , so that  $\alpha = \beta$ .

It can be shown that.

$$c_B = \frac{\sum_j W_j M(m_j, se_j) - \sum_j W_j \frac{-1}{\sqrt{2\pi}}}{\sqrt{\sum_j W_j^2 V(m_j, se_j) + \sum_j W_j^2 \left( \frac{1}{2} - \frac{1}{2\pi} \right)}}$$

where

$$M(\mu, \sigma) = \mu \Phi\left(\frac{-\mu}{\sigma}\right) - \sigma \phi\left(\frac{-\mu}{\sigma}\right)$$

1. This decision rule assumes that a negative test statistic indicates poor service for the CLEC customer. If the opposite is true, then reverse the decision rule.

$$V(\mu, \sigma) = (\mu^2 + \sigma^2)\Phi\left(\frac{-\mu}{\sigma}\right) - \mu\sigma\phi\left(\frac{-\mu}{\sigma}\right) - M(\mu, \sigma)^2$$

$\Phi(\cdot)$  is the cumulative standard normal distribution function, and  $\phi(\cdot)$  is the standard normal density function.

This formula assumes that  $Z_j$  is approximately normally distributed within cell  $j$ . When the cell sample sizes,  $n_{1j}$  and  $n_{2j}$ , are small this may not be true. It is possible to determine the cell mean and variance under the null hypothesis when the cell sample sizes are small. It is much more difficult to determine these values under the alternative hypothesis. Since the cell weight,  $W_j$  will also be small (see calculate weights section above) for a cell with small volume, the cell mean and variance will not contribute much to the weighted sum. Therefore, the above formula provides a reasonable approximation to the balancing critical value.

The values of  $m_j$  and  $se_j$  will depend on the type of performance measure.

### Mean Measure

For mean measures, one is concerned with two parameters in each cell, namely, the mean and variance. A possible lack of parity may be due to a difference in cell means, and/or a difference in cell variances. One possible set of hypotheses that capture this notion, and take into account the assumption that transaction are identically distributed within cells is:

$$H_0: \mu_{1j} = \mu_{2j}, \sigma_{1j}^2 = \sigma_{2j}^2$$

$$H_a: \mu_{2j} = \mu_{1j} + \delta_j \cdot \sigma_{1j}, \sigma_{2j}^2 = \lambda_j \cdot \sigma_{1j}^2, \delta_j > 0, \lambda_j \geq 1 \text{ and } j = 1, \dots, L.$$

Under this form of alternative hypothesis, the cell test statistic  $Z_j$  has mean and standard error given by

$$m_j = \frac{-\delta_j}{\sqrt{\frac{1}{n_{1j}} + \frac{1}{n_{2j}}}}$$

and

$$se_j = \sqrt{\frac{\lambda_j n_{1j} + n_{2j}}{n_{1j} + n_{2j}}}$$

## Proportion Measure

For a proportion measure there is only one parameter of interest in each cell, the proportion of transaction possessing an attribute of interest. A possible lack of parity may be due to a difference in cell proportions. A set of hypotheses that take into account the assumption that transaction are identically distributed within cells while allowing for an analytically tractable solution is:

$$H_0: \frac{p_{2j}(1-p_{1j})}{(1-p_{2j})p_{1j}} = 1$$

$$H_a: \frac{p_{2j}(1-p_{1j})}{(1-p_{2j})p_{1j}} = \psi_j, \psi_j > 1 \text{ and } j = 1, \dots, L.$$

These hypotheses are based on the “odds ratio.” If the transaction attribute of interest is a missed trouble repair, then an interpretation of the alternative hypothesis is that a CLEC trouble repair appointment is  $\psi_j$  times more likely to be missed than an ILEC trouble.

Under this form of alternative hypothesis, the within cell asymptotic mean and variance of  $a_{1j}$  are given by<sup>1</sup>

$$E(a_{1j}) = n_j \pi_j^{(1)}$$

$$\text{var}(a_{1j}) = \frac{n_j}{\frac{1}{\pi_j^{(1)}} + \frac{1}{\pi_j^{(2)}} + \frac{1}{\pi_j^{(3)}} + \frac{1}{\pi_j^{(4)}}}$$

where

1. Stevens, W. L. (1951) Mean and Variance of an entry in a Contingency Table. *Biometrika*, 38, 468-470.



$$\begin{aligned}
\pi_j^{(1)} &= f_j^{(1)} \left( n_j^2 + f_j^{(2)} + f_j^{(3)} - f_j^{(4)} \right) \\
\pi_j^{(2)} &= f_j^{(1)} \left( -n_j^2 - f_j^{(2)} + f_j^{(3)} + f_j^{(4)} \right) \\
\pi_j^{(3)} &= f_j^{(1)} \left( -n_j^2 + f_j^{(2)} - f_j^{(3)} + f_j^{(4)} \right) \\
\pi_j^{(4)} &= f_j^{(1)} \left( n_j^2 \left( \frac{2}{\psi_j} - 1 \right) - f_j^{(2)} - f_j^{(3)} - f_j^{(4)} \right) \\
f_j^{(1)} &= \frac{1}{2n_j^2 \left( \frac{1}{\psi_j} - 1 \right)} \\
f_j^{(2)} &= n_j n_{1j} \left( \frac{1}{\psi_j} - 1 \right) \\
f_j^{(3)} &= n_j a_j \left( \frac{1}{\psi_j} - 1 \right) \\
f_j^{(4)} &= \sqrt{n_j^2 \left[ 4n_{1j} (n_j - a_j) \left( \frac{1}{\psi_j} - 1 \right) + \left( n_j + (a_j - n_{1j}) \left( \frac{1}{\psi_j} - 1 \right) \right)^2 \right]}
\end{aligned}$$

Recall that the cell test statistic is given by

$$Z_j = \frac{n_j a_{1j} - n_{1j} a_j}{\sqrt{\frac{n_{1j} n_{2j} a_j (n_j - a_j)}{n_j - 1}}}$$

Using the equations above, we see that  $Z_j$  has mean and standard error given by

$$m_j = \frac{n_j^2 \pi_j^{(1)} - n_{1j} a_j}{\sqrt{\frac{n_{1j} n_{2j} a_j (n_j - a_j)}{n_j - 1}}}$$

and

$$se_j = \sqrt{\frac{n_j^3 (n_j - 1)}{n_{1j} n_{2j} a_j (n_j - a_j) \left( \frac{1}{\pi_j^{(1)}} + \frac{1}{\pi_j^{(2)}} + \frac{1}{\pi_j^{(3)}} + \frac{1}{\pi_j^{(4)}} \right)}}$$

## Rate Measure

A rate measure also has only one parameter of interest in each cell, the rate at which a phenomenon is observed relative to a base unit, e.g. the number of troubles per available line. A possible lack of parity may be due to a difference in cell rates. A set of hypotheses that take into account the assumption that transaction are identically distributed within cells is:

$$H_0: r_{1j} = r_{2j}$$

$$H_a: r_{2j} = \epsilon_j r_{1j} \epsilon_j > 1 \text{ and } j = 1, \dots, L.$$

Given the total number of ILEC and CLEC transactions in a cell,  $n_j$ , and the number of base elements,  $b_{1j}$  and  $b_{2j}$ , the number of ILEC transaction,  $n_{1j}$ , has a binomial distribution from  $n_j$  trials and a probability of

$$q_j^* = \frac{r_{1j} b_{1j}}{r_{1j} b_{1j} + r_{2j} b_{2j}}$$

Therefore, the mean and variance of  $n_{1j}$ , are given by

$$\begin{aligned} E(n_{1j}) &= n_j q_j^* \\ \text{var}(n_{1j}) &= n_j q_j^* (1 - q_j^*) \end{aligned}$$

Under the null hypothesis

$$q_j^* = q_j = \frac{b_{1j}}{b_j}$$

but under the alternative hypothesis

$$q_j^* = q_j^a = \frac{b_{1j}}{b_{1j} + \epsilon_j b_{2j}}$$

Recall that the cell test statistic is given by

$$Z_j = \frac{n_{1j} - n_j q_j}{\sqrt{n_j q_j (1 - q_j)}}$$

Using the relationships above, we see that  $Z_j$  has mean and standard error given by

$$m_j = \frac{n_j (q_j^a - q_j)}{\sqrt{n_j q_j (1 - q_j)}} = (1 - \varepsilon_j) \frac{\sqrt{n_j b_{1j} b_{2j}}}{b_{1j} + \varepsilon_j b_{2j}}$$

and

$$se_j = \sqrt{\frac{q_j^a (1 - q_j^a)}{q_j (1 - q_j)}} = \sqrt{\varepsilon_j} \frac{b_j}{b_{1j} + \varepsilon_j b_{2j}}$$

### Ratio Measure

As with mean measures, one is concerned with two parameters in each cell, the mean and variance, when testing for parity of ratio measures. As long as sample sizes are large, as in the case of billing accuracy, the same method for finding  $m_j$  and  $se_j$  that is used for mean measures can be used for ratio measures.

### D.2.6 Determining the Parameters of the Alternative Hypothesis

In this section we have indexed the alternative hypothesis of mean measures by two sets of parameters,  $\lambda_j$  and  $\delta_j$ . Proportion and rate measures have been indexed by one set of parameters each,  $\psi_j$  and  $\varepsilon_j$  respectively. A major difficulty with this approach is that more than one alternative will be of interest; for example we may consider one alternative in which all the  $\delta_j$  are set to a common non-zero value, and another set of alternatives in each of which just one  $\delta_j$  is non-zero, while all the rest are zero. There are very many other possibilities. Each possibility leads to a single value for the balancing critical value; and each possible critical value corresponds to many sets of alternative hypotheses, for each of which it constitutes the correct balancing value.

The formulas we have presented can be used to evaluate the impact of different choices of the overall critical value. For each putative choice, we can evaluate the set of alternatives for which this is the correct balancing value. While statistical science can be used to evaluate the impact of different choices of these parameters, there is not much that an appeal to statistical principles can offer in directing specific choices. Specific choices are best left to telephony experts. Still, it is possible to comment on some aspects of these choices:

*Parameter Choices for  $\lambda_j$*  – The set of parameters  $\lambda_j$  index alternatives to the null hypothesis that arise because there might be greater unpredictability or variability in the delivery of service to a CLEC customer over that which would be achieved for an otherwise comparable ILEC customer. While concerns about differences in the variability of service are important, it turns out that the truncated Z testing which is being recommended here is relatively insensitive to all but very large values of the  $\lambda_j$ . Put another way, reasonable differences in the values chosen here could make very little difference in the balancing points chosen.

*Parameter Choices for  $\delta_j$*  – The set of parameters  $\delta_j$  are much more important in the choice of the balancing point than was true for the  $\lambda_j$ . The reason for this is that they directly index differences in average service. The truncated Z test is very sensitive to any such differences; hence, even small disagreements among experts in the choice of the  $\delta_j$  could be very important. Sample size matters here too. For example, setting all the  $\delta_j$  to a single value –  $\delta_j = \delta$  might be fine for tests across individual CLECs where currently in Georgia the CLEC customer bases are not too different. Using the same value of  $\delta$  for the overall state testing does not seem sensible. At the state level we are aggregating over CLECs, so using the same  $\delta$  as for an individual CLEC would be saying that a “meaningful” degree of disparity is one where the violation is the same ( $\delta$ ) for each CLEC. But the detection of disparity for any component CLEC is important, so the relevant “overall”  $\delta$  should be smaller.

*Parameter Choices for  $\psi_j$  or  $\epsilon_j$*  – The set of parameters  $\psi_j$  or  $\epsilon_j$  are also important in the choice of the balancing point for tests of their respective measures. The reason for this is that they directly index increases in the proportion or rate of service performance. The truncated Z test is sensitive to such increases; but not as sensitive as the case of  $\delta$  for mean measures. Sample size matters here too. As with mean measures, using the same value of  $\psi$  or  $\epsilon$  for the overall state testing does not seem sensible.

The three parameters are related however. If a decision is made on the value of  $\delta$ , it is possible to determine equivalent values of  $\psi$  and  $\epsilon$ . The following equations, in conjunction with the definitions of  $\psi$  and  $\epsilon$ , show the relationship with delta.

$$\delta = 2 \cdot \arcsin(\sqrt{\hat{p}_2}) - 2 \cdot \arcsin(\sqrt{\hat{p}_1})$$

$$\delta = 2\sqrt{\hat{r}_2} - 2\sqrt{\hat{r}_1}$$

The bottom line here is that beyond a few general considerations, like those given above, a principled approach to the choice of the alternative hypotheses to guard against must come from elsewhere.

### Decision Process

Once  $Z^T$  has been calculated, it is compared to the balancing critical value to determine if the ILEC is favoring its own customers over a CLEC’s customers.

This critical value changes as the ILEC and CLEC transaction volume change. One way to make this transparent to the decision-maker, is to report the difference between the test statistic and the critical value,  $diff = Z^T - c_B$ . If favoritism is concluded when  $Z^T < c_B$ , then the  $diff < 0$  indicates favoritism.

This makes it very easy to determine favoritism: a positive *diff* suggests no favoritism, and a negative *diff* suggests favoritism.

## E: BST SEEM Remedy Calculation Procedures

### E.1 Tier-1 Calculation For Retail Analogs

1. Calculate the overall test statistic for each CLEC;  $z_{CLEC-1}^T$  (Per Statistical Methodology - by Dr. Mulrow)
2. Calculate the balancing critical value ( ${}^cB_{CLEC-1}$ ) that is associated with the alternative hypothesis (for fixed parameters  $\delta, \Psi$ , or  $\epsilon$ )
3. If the overall test statistic is equal to or above the balancing critical value, stop here. That is, if  ${}^cB_{CLEC-1} < z_{CLEC-1}^T$ , stop here. Otherwise, go to step 4.
4. Calculate the Parity Gap by subtracting the value of step 2 from that of step 1.  $ABS(z_{CLEC-1}^T - {}^cB_{CLEC-1})$
5. Calculate the Volume Proportion using a linear distribution with slope of  $\frac{1}{4}$ . This can be accomplished by taking the absolute value of the Parity Gap from step 4 divided by 4;  $ABS((z_{CLEC-1}^T - {}^cB_{CLEC-1}) / 4)$ . All parity gaps equal or greater to 4 will result in a volume proportion of 100%.
6. Calculate the Affected Volume by multiplying the Volume Proportion from step 5 by the Total Impacted CLEC-1 Volume ( $I_c$ ) in the negatively affected cell; where the cell value is negative.
7. Calculate the payment to CLEC-1 by multiplying the result of step 6 by the appropriate dollar amount from the fee schedule.
8. Then,  $CLEC-1 \text{ payment} = \text{Affected Volume}_{CLEC-1} * \$\$ \text{from Fee Schedule}$

#### E.1.1 Example: CLEC-1 Missed Installation Appointments (MIA) for Resale POTS

**Note:** the statistical results are only illustrative. They are not a result of a statistical test of this data.

	$n_I$	$N_C$	$I_c$	$MIA_I$	$MIA_C$	$z_{CLEC-1}^T$	$C_B$	Parity Gap	Volume Proportion	Affected Volume
State	50000	600	96	9%	16%	-1.92	-0.21	1.71	0.4275	
Cell						$z_{CLEC-1}^T$				
1		150	17	0.091	0.113	-1.994				8
2		75	8	0.176	0.107	0.734				
3		10	4	0.128	0.400	-2.619				2
4		50	17	0.158	0.340	-2.878				8
5		15	2	0.245	0.133	1.345				
6		200	26	0.156	0.130	0.021				
7		30	7	0.166	0.233	-0.600				3
8		20	3	0.106	0.150	-0.065				2
9		40	9	0.193	0.225	-0.918				4
10		10	3	0.160	0.300	-0.660				2
										29

where  $n_I$  = ILEC observations and  $n_C$  = CLEC-1 observations

Payout for CLEC-1 is (29 units) \* (\$100/unit) = \$2,900

### E.1.2 Example: CLEC-1 Order Completion Interval (OCI) for Resale POTS

	$n_I$	$n_C$	$I_c$	$OCI_I$	$OCI_C$	$z_{CLEC-1}^T$	$C_B$	Parity Gap	Volume Proportion	Affected Volume
State	50000	600	600	5days	7days	-1.92	-0.21	1.71	0.4275	
Cell						$z_{CLEC-1}^T$				
1		150	150	5	7	-1.994				64
2		75	75	5	4	0.734				
3		10	10	2	3.8	-2.619				4
4		50	50	5	7	-2.878				21
5		15	15	4	2.6	1.345				
6		200	200	3.8	2.7	0.021				
7		30	30	6	7.2	-0.600				13
8		20	20	5.5	6	-0.065				9
9		40	40	8	10	-0.918				17

	$n_I$	$n_C$	$I_c$	$OCI_I$	$OCI_C$	$z_{CLEC-1}^T$	$C_B$	Parity Gap	Volume Proportion	Affected Volume
10		10	10	6	7.3	-0.660				4
										133

where  $n_I$  = ILEC observations and  $n_C$  = CLEC-1 observations

Payout for CLEC-1 is (133 units) \* (\$100/unit) = \$13,300

## E.2 Tier-2 Calculation For Retail Analogues

1. Tier-2 is triggered by three consecutive monthly failures of any Tier 2 Remedy Plan sub-metric.
2. Therefore, calculate monthly statistical results and affected volumes as outlined in steps 2 through 6 for the CLEC Aggregate performance. Determine the affected volume for each of the months in the rolling 3-month period.
3. Calculate the payment to State Designated Agency by averaging the 3-monthly affected volumes, then multiplying that number by the appropriate dollar amount from the Tier-2 fee schedule.
4. Therefore, State Designated Agency payment = Average of 3 months affected volumes \* \$\$from Fee Schedule

### E.2.1 Example: CLEC-A Missed Installation Appointments (MIA) for Resale POTS

State	$n_I$	$n_C$	$I_c$	$MIA_I$	$MIA_C$	$z_{CLEC-A}^T$	$C_B$	Parity Gap	Volume Proportion	Affected Volume
Month 1	180000	2100	336	9%	16%	-1.92	-0.21	1.71	0.4275	
Cell						$z_{CLEC-A}$				
1		500	56	0.091	0.112	-1.994				24
2		300	30	0.176	0.100	0.734				
3		80	27	0.128	0.338	-2.619				12
4		205	60	0.158	0.293	-2.878				26
5		45	4	0.245	0.089	1.345				
6		605	79	0.156	0.131	0.021				
7		80	19	0.166	0.238	-0.600				9
8		40	6	0.106	0.150	-0.065				3
9		165	36	0.193	0.218	-0.918				16
10		80	19	0.160	0.238	-0.660				9



State	$n_I$	$n_C$	$I_C$	$MIA_I$	$MIA_C$	$z_{CLEC-A}^T$	$C_B$	Parity Gap	Volume Proportion	Affected Volume
										99

where  $n_I$  = ILEC observations and  $n_C$  = CLEC-A observations

Assume Months 2 and 3 have the same affected volumes. Payout 99 units \* \$300/unit = \$29,700.

If the above example represented performance for each of months 1 through 3, then

### E.2.2 Example: CLEC-A Missed Installation Appointments

State	Miss	Remedy Dollars
Month 1	X	\$29,700
Month 2	X	\$29,700
Month 3	X	\$29,700
Payment		\$89,100

### E.3 Tier-1 Calculation For Benchmarks

- For each CLEC, with five or more observations, calculate monthly performance results for the State.
- CLECs having observations (sample sizes) between 5 and 30 will use one of the tables below. The only exception will be for Collocation Percent Missed Due Dates.

Table 1: Small Sample Size (except EEL)

Sample Size	Equivalent 90% Benchmark	Equivalent 95% Benchmark	Sample Size	Equivalent 90% Benchmark	Equivalent 95% Benchmark
5	60.00%	80.00%	18	77.78%	83.33%
6	66.67%	83.33%	19	78.95%	84.21%
7	71.43%	85.71%	20	80.00%	85.00%
8	75.00%	75.00%	21	76.19%	85.71%
9	66.67%	77.78%	22	77.27%	86.36%
10	70.00%	80.00%	23	78.26%	86.96%
11	72.73%	81.82%	24	79.17%	87.50%
12	75.00%	83.33%	25	80.00%	88.00%
13	76.92%	84.62%	26	80.77%	88.46%
14	78.57%	85.71%	27	81.48%	88.89%
15	73.33%	86.67%	28	78.57%	89.29%

Table 1: Small Sample Size (except EEL)

Sample Size	Equivalent 90% Benchmark	Equivalent 95% Benchmark	Sample Size	Equivalent 90% Benchmark	Equivalent 95% Benchmark
16	75.00%	87.50%	29	79.31%	86.21%
17	76.47%	82.35%	30	80.00%	86.67%

Table 2: EELs Small Sample Size

Sample Size	Equivalent 30% Benchmark	Sample Size	Equivalent 70% Benchmark
5	0.2	5	0.4
6	0.1667	6	0.3333
7	0.1429	7	0.4286
8	0.125	8	0.375
9	0.1111	9	0.4444
10	0.1	10	0.5
11	0.0909	11	0.4545
12	0.0833	12	0.5
13	0.0769	13	0.4615
14	0.1429	14	0.5
15	0.1333	15	0.4667
16	0.125	16	0.5
17	0.1176	17	0.5294
18	0.1111	18	0.5
19	0.1579	19	0.5263
20	0.15	20	0.55
21	0.1429	21	0.5238
22	0.1364	22	0.5455
23	0.1304	23	0.5217
24	0.1667	24	0.5417
25	0.16	25	0.56
26	0.1538	26	0.5385
27	0.1481	27	0.5556
28	0.1786	28	0.5714
29	0.1724	29	0.5517
30	0.1667	30	0.5667
31	0.3	31	0.7

- If the percentage (or equivalent percentage for small samples) meets the benchmark standard, stop here. Otherwise, go to step 4.

4. Determine the Volume Proportion by taking the difference between the benchmark and the actual performance result.
5. Calculate the Affected Volume by multiplying the Volume Proportion from step 4 by the Total Impacted CLEC-1 Volume.
6. Calculate the payment to CLEC-1 by multiplying the result of step 5 by the appropriate dollar amount from the fee schedule.
7. CLEC-1 payment = Affected Volume<sub>CLEC-1</sub> \* \$\$from Fee Schedule

### E.3.1 Example: CLEC-1 Percent Missed Due Dates for Collocations

	$n_c$	Benchmark	MIA <sub>c</sub>	Volume Proportion	Affected Volume
State	600	10%	13%	.03	18

Payout for CLEC-1 is (18 units) \* (\$5000/unit) = \$90,000

### E.4 Tier-1 Calculation For Benchmarks (In The Form Of A Target)

1. For each CLEC with five or more observations calculate monthly performance results for the State.
2. CLECs having observations (sample sizes) between 5 and 30 will use Table I above.
3. Calculate the interval distribution based on the same data set used in step 1.
4. If the 'percent within' (or equivalent percentage for small samples) meets the benchmark standard, stop here. Otherwise, go to step 5.
5. Determine the Volume Proportion by taking the difference between benchmark and the actual performance result.
6. Calculate the Affected Volume by multiplying the Volume Proportion from step 5 by the Total CLEC-1 Volume.
7. Calculate the payment to CLEC-1 by multiplying the result of step 6 by the appropriate dollar amount from the fee schedule.

CLEC-1 payment = Affected Volume<sub>CLEC1</sub> \* \$\$from Fee Schedule

### E.4.1 Example: CLEC-1 Reject Timeliness

	$n_c$	Benchmark	Reject Timeliness	Volume Proportion	Affected Volume
State	600	95% within 1 hour	93% within 1 hour	.02	12

Payout for CLEC-1 is (12 units) \* (\$100/unit) = \$1,200

## **E.5 Tier-2 Calculations For Benchmarks**

Tier-2 calculations for benchmark measures are the same as the Tier-1 benchmark calculations, except the CLEC Aggregate data having failed for three months.

## **F: Reposting Of Performance Data and Recalculation of SEEM Payments**

.....

This appendix contains BellSouth's Policy On Reposting Of Performance Data and Recalculation of SEEM Payments.

BellSouth will make available reposted performance data as reflected in the Service Quality Measurement ("SQM") reports and the Monthly State Summary ("MSS") report and recalculate Self-Effectuating Enforcement ("SEEM") payments using the Parity Analysis and Remedy Information System (PARIS), to the extent technically feasible, under the following circumstances:

1. Those measures included in a state's specific SQM plan with corresponding sub-metrics are subject to reposting.
2. Performance sub-metric calculations that result in a shift in the performance in the aggregate from an "in parity" condition to an "out of parity" condition will be available for reposting.
3. Performance sub-metric calculations with benchmarks that are in an "out of parity" condition will be available for reposting whenever there is a  $\geq 2\%$  deviation in performance at the sub-metric level.
4. Performance sub-metric calculations with retail analogues that are in an "out of parity" condition will be available for reposting whenever there is a .5 change in the z-score at the sub-metric level.
5. Performance data will be available with the updated data for a maximum of three months in arrears. Performance data charts (MSS Charts) that incorporate updated data will only be generated as part of the normal monthly production cycle. A notice will be placed on the PMAP website advising CLECs when reposted data is available.
6. When updated performance data has been made available for reposting or when a payment error in PARIS has been discovered, BellSouth will recalculate applicable SEEM payments. Where technically feasible, SEEM payments will be subject to recalculation for a maximum of three months in arrears from the date updated performance data was made available or the date when the payment error was discovered.
7. Any adjustments for underpayment of Tier 1 and Tier 2 calculated remedies will be made consistent with the terms of the state-specific SEEM plan, including the payment of interest. Any

adjustments for overpayment of Tier 1 and Tier 2 remedies will be made at BellSouth's discretion.

8. Any adjustments for underpayments will be made in the next month's payment cycle after the recalculation is made. The final current month PARIS reports will reflect the transmitted dollars, including adjustments for prior months where applicable. Questions regarding the adjustments should be made in accordance with the normal process used to address CLEC questions related to SEEM payments.

# I: Index

- |  |   |
|--|---|
| <p><b>A</b></p> <ul style="list-style-type: none"> <li>Affected Volume 1-3</li> <li>Aggregate Level Test Statistic C-1</li> <li>Aggregate Test Statistic D-9</li> <li>Alternative Hypothesis D-15</li> <li>Audits 1-7</li> </ul> <p><b>B</b></p> <ul style="list-style-type: none"> <li>Balancing C-2</li> <li>Balancing Critical Value D-9</li> <li>Benchmarks E-4, E-5, E-6</li> </ul> <p><b>C</b></p> <ul style="list-style-type: none"> <li>Cell 1-3</li> <li>Cell Weights D-4</li> </ul> <p><b>D</b></p> <ul style="list-style-type: none"> <li>Delta 1-3</li> <li>Dispute Resolution 1-7</li> </ul> <p><b>E</b></p> <ul style="list-style-type: none"> <li>Enforcement Measurement Benchmark 1-2</li> <li>Enforcement Measurement Compliance 1-2</li> <li>Enforcement Measurement Elements 1-2</li> <li>Enforcement Mechanism Cap 1-6</li> <li>Enforcement Mechanisms 1-2</li> </ul> <p><b>L</b></p> <ul style="list-style-type: none"> <li>Like-to-Like Comparisons C-1</li> <li>Limitations of Liability 1-6</li> <li>Liquidated Damages A-1</li> </ul> <p><b>M</b></p> <ul style="list-style-type: none"> <li>Measurements 1-2</li> </ul> | <p><b>P</b></p> <ul style="list-style-type: none"> <li>Parity Gap 1-3</li> <li>Production Mode Process C-2</li> <li>Reporting 1-1</li> <li>Retail Analogues E-1, E-3</li> </ul> <p><b>S</b></p> <ul style="list-style-type: none"> <li>SEEM 1-1</li> <li>Self Effectuating Enforcement Mechanisms 1-1</li> <li>Service Quality Measurements 1-1</li> <li>SQM 1-1</li> </ul> <p><b>T</b></p> <ul style="list-style-type: none"> <li>Test Statistic and Balancing Critical Value 1-2</li> <li>Theoretical Mean D-8</li> <li>Tier-1 Enforcement Mechanisms 1-3, 1-4</li> <li>Tier-1 Payments 1-6</li> <li>Tier-2 Enforcement Mechanisms 1-3, 1-4</li> <li>Tier-3 Enforcement Mechanisms 1-3, 1-4</li> <li>Tier-3 Payments 1-6</li> <li>Trimming C-2</li> <li>Truncated Z C-2, D-4, D-7</li> </ul> <p><b>V</b></p> <ul style="list-style-type: none"> <li>Variance D-8</li> </ul> <p><b>Z</b></p> <ul style="list-style-type: none"> <li>Z Value D-5</li> </ul> |
|--|---|



# Georgia SEEM Administrative Plan

**Self-Effectuating Enforcement Mechanism (SEEM)**

**Version 1.02**

**Issue Date: ~~March 4~~ July 22, 2003**



## Revision History

Version	Date	Notes
<u>V1.2</u>	<u>July 22, 2003</u>	<u>Revised reposting policy to agree with policy implemented in Florida.</u>
<u>V1.1</u>	<u>April 25, 2003</u>	<u>Revised Tier 3 Enforcement Mechanism on page 1-4 and added Market Penetration Adjustment section (1.44) based on Order. Modified first paragraph on page D-1. Updated Appendix B to conform with the SQM.</u>
V1.0	March 1, 2003	Initial version

# 1: Administrative Plan

## 1.1 Scope

This Administrative Plan ("Plan") includes Service Quality Measurements ("SQM") with corresponding Self Effectuating Enforcement Mechanisms ("SEEM") to be implemented by BellSouth pursuant to the Orders issued by the Georgia Public Service Commission (the "Commission") in Docket 7892-U.

All exhibits referred to in this plan are located on the BellSouth Performance Measurement Reports website at: <https://pmap.bellsouth.com>

## 1.2 Reporting

In providing services pursuant to the Interconnection Agreements between BellSouth and each CLEC, BellSouth will report its performance to each CLEC in accordance with BellSouth's SQMs and applicable SEEM, which are posted on the Performance Measurement Reports website.

BellSouth will make performance reports available to each CLEC on a monthly basis. The reports will contain information collected in each performance category and will be available to each CLEC via the Performance Measurements Reports website. BellSouth will also provide electronic access to the CLEC specific raw data, when possible, underlying the SQMs via the Performance Measurements website.

Preliminary SQM reports will be posted on the Performance Measurements Reports website by 8:00 A.M. EST on the 21st day of each month, or the first business day after the 21st, for the previous month's performance. Final validated SQM reports will be posted by 8:00 A.M. EST on the last day of the month, or the first business day thereafter. Final validated SQM reports not posted within 24 hours of this time will be considered late for late penalty purposes.

Final validated SEEM reports will be posted by 8:00 A.M. EST on the 15th day of the month, or the first business day thereafter, following the final validated SQM report.

BellSouth shall pay penalties to the Commission, in the aggregate, for late and incomplete SQM reports on the following progressive sliding scale: 1 -7 days - \$5,000; 8-15 days - \$10,000; 16-30 day - \$40,000; 31+ days - \$5,000 per day.

Such penalty shall be sent to the Commission or its designee within fifteen (15) calendar days of the end of the reporting month in which the final publication date of the updated report.

Tier-2 SEEM payments and Administrative fines and penalties for late and incomplete reports will be electronically transferred, to the Commission on or before the 15th of the month.

BellSouth shall retain the performance measurement raw data files for a period of 18 months and further retain the data used in PMAP to produce monthly reports for a period of three years.

BellSouth will provide documentation of late and incomplete occurrences during the reporting month that data is posted to the website. The notations may be viewed on the Performance Measurements website from the PMAP home page on the Current Month Site Updates link.

### 1.3 Review of Measurements

Periodically BellSouth will review the SQM and the SEEM. All modifications to the SQM and SEEM will be approved by the Commission. Each CLEC may provide input regarding any suggested additions, deletions or other modifications to the SQM or the SEEM. BellSouth will provide notice of all changes to the SQM and SEEM via the Performance Measurement Reports website.

BellSouth acknowledges that the Commission reserves the right to modify the SQM or the SEEM plan at any time it deems necessary upon Commission order.

### 1.4 Enforcement Mechanisms

#### 1.4.1 Definitions

*Enforcement Measurement Elements* – the performance measurements identified as SEEM measurements within the SQM.

*Enforcement Measurement Benchmark* – a competitive level of performance used to evaluate the performance of BellSouth and each CLEC where no analogous retail process, product or service is feasible.

*Enforcement Measurement Compliance* – comparing performance levels provided to BellSouth retail customers with performance levels provided by BellSouth to the CLEC customer.

*Test Statistic and Balancing Critical Value* – the means by which enforcement will be determined using statistically valid equations. The Test Statistic and Balancing Critical Value are set forth in Exhibit C located on the Performance Measurements Reports website, incorporated herein by this reference.

*Cell* – a grouping of transactions at which like-to-like comparisons are made. For example, all BellSouth retail POTS services, for residential customers, requiring a dispatch in a particular wire center, at a particular point in time will be compared directly to CLEC resold services for residential customers, requiring a dispatch, in the same wire center, at a particular point in time. When determining compliance, these cells can have a positive or negative Test Statistic. See Exhibit C located on the Performance Measurements Reports website, incorporated herein by this reference.

*Affected Volume* – that proportion of the total impacted CLEC volume or CLEC Aggregate volume for which remedies will be paid.

*Delta* – a measure of the meaningful difference between BellSouth performance and CLEC performance. For individual CLECs the Delta value shall be .50 and for the CLEC aggregate the Delta value shall be .35.

*Parity Gap* – refers to the incremental departure from a compliant-level of service. This is also referred to as “diff” in the Statistical paper located at Exhibit C located on the Performance Measurements Reports website, incorporated herein by this reference.

*Tier-1 Enforcement Mechanisms* – self-executing liquidated damages paid directly to each impacted CLEC when BellSouth delivers non-compliant performance of any one of the Tier-1 Enforcement Measurement Elements for any month as calculated by BellSouth.

*Tier-2 Enforcement Mechanisms* – assessments paid directly to the Georgia Public Service Commission or its designee. Tier 2 Enforcement Mechanisms are triggered by three consecutive monthly failures in which BellSouth performance is out of compliance or does not meet the benchmarks for the aggregate of all CLEC data as calculated by BellSouth for a particular Tier-2 Enforcement Measurement Element.

~~*Tier-3 Enforcement Mechanisms* – the voluntary suspension of additional marketing and sales of long distance services triggered by excessive repeat failures of those specific sub-measures as defined in Exhibit B located on the Performance Measurements Reports website, incorporated herein by this reference until BellSouth performance improves.~~

*Tier-3 Enforcement Mechanisms* – Tier-3 Enforcement Mechanisms are triggered when BellSouth consistently fails at the CLEC aggregate level on any 12 of the 26 Tier-3 measurements for 3 consecutive months. BellSouth will voluntarily discontinue marketing long distance service in Georgia until such time as BellSouth's performance improves. For a Tier-3 failure, BST may begin marketing long distance when all 12 of the 26 failed sub-metrics show favorable results for 3 consecutive months.

#### **1.4.2 Application**

The application of the Tier-1, Tier-2 and Tier-3 Enforcement Mechanisms does not foreclose other legal and regulatory claims and remedies available to each CLEC.

Payment of any Tier-1, Tier-2 or Tier-3 Enforcement Mechanisms shall not be considered as an admission against interest or an admission of liability or culpability in any legal, regulatory or other proceeding relating to BellSouth's performance. The payment of any Tier-1 Enforcement Mechanisms to each CLEC shall be credited against any liability associated with or related to BellSouth's service performance.

The Enforcement Mechanisms contained in this Plan have been provided by BellSouth in order to maintain compliance between BellSouth and each CLEC. Therefore the existence of this section or any payments of any Tier-1, Tier-2, or Tier-3 Enforcement Mechanisms under this section does not constitute evidence that BellSouth has failed to comply with or has violated any state or federal law or regulation.

### **1.4.3 Methodology**

Tier-1 Enforcement Mechanisms will be triggered by BellSouth's failure to achieve applicable Enforcement Measurement Compliance or Enforcement Measurement Benchmarks for each CLEC for the State of Georgia for a given Enforcement Measurement Element in a given month. Enforcement Measurement Compliance is based upon a Test Statistic and Balancing Critical Value calculated by BellSouth utilizing BellSouth generated data. The method of calculation is set forth in Exhibit D located on the Performance Measurements Reports website, incorporated herein by this reference.

- Tier-1 Enforcement Mechanisms apply on a per transaction basis for each negative cell and will escalate based upon the number of consecutive months that BellSouth has reported non-compliance.
- Fee Schedule for Tier-1 Enforcement Mechanisms is shown on the Performance Measurement Reports website in Table-1 of Exhibit A, incorporated herein by this reference. Failures beyond Month 6 will be subject to Month 6 fees.

Tier-2 Enforcement Mechanisms will be triggered by BellSouth's failure to achieve applicable Enforcement Measurement Compliance or Enforcement Measurement Benchmarks for the State for given Enforcement Measurement Elements for three consecutive months based upon a statistically valid equation calculated by BellSouth utilizing BellSouth generated data. The method of calculation is set forth in Exhibit D located on the Performance Measurements Reports website, incorporated herein by this reference.

- Tier-2 Enforcement Mechanisms apply, for an aggregate of all CLEC data generated by BellSouth, on a per transaction basis for each negative cell for a particular Enforcement Measurement Element.
- Fee Schedule for Total Quarterly Tier-2 Enforcement Mechanisms is shown on the Performance Measurement Reports website in Table-2 of Exhibit A, incorporated herein by this reference.

Tier-3 Enforcement Mechanisms will be triggered by BellSouth's failure to achieve Enforcement Measurement Compliance or Enforcement Measurement Benchmarks for the State for given Enforcement Measurement Elements for three consecutive months. The method of calculation for specified sub-measures is identical to the method of calculation for Tier-2 Enforcement Mechanisms as described above. The specific sub-measures which are the mechanism for triggering and removing a Tier-3 Enforcement Mechanisms are described in Exhibit B on the Performance Measurement Reports website, incorporated herein by this reference.

Tier-3 Enforcement Mechanisms are triggered when BellSouth consistently fails at the CLEC aggregate level on any 12 of the 26 Tier-3 measurements for 3 consecutive months. BellSouth will voluntarily discontinue marketing long distance service in Georgia until such time as BellSouth's performance improves. For a Tier-3 failure, BST may begin marketing long distance when all 12 of the 26 failed sub-metrics show favorable results for 3 consecutive months.

#### **1.4.4 Market penetration adjustment.**

BellSouth shall implement a market penetration adjustment for new and advanced services as follows:

1. In order to ensure parity and benchmark performance where CLECs order low volumes of advanced and nascent services, BellSouth shall make additional payments to the Commission for deposit in the Georgia State Treasury when there are more than 10 and less than 100 observations for those measures listed below on average statewide for a three-month period.
  - Percent Missed Installation Appointments
    - UNE Loop+Port Combo
    - UNE xDSL
    - UNE Line Sharing
  - Average Completion Interval
    - UNE Loop+Port Combo
    - UNE xDSL
    - UNE Line Sharing
  - Missed Repair Appointments
    - UNE Loop+Port Combo
    - UNE xDSL
    - UNE Line Sharing
  - Maintenance Average Duration
    - UNE Loop+Port Combo
    - UNE xDSL
    - UNE Line Sharing
  - Average Response Time for Loop Make-Up Information
    - UNE Loop+Port Combo
    - UNE xDSL
    - UNE Line Sharing
2. The additional payments referenced in 1, above, shall be made if BellSouth fails to provide parity for the above measurements as determined by the use of the Truncated Z-Test and the balancing critical value for 3 consecutive months.

3. If, for the three months that are utilized to calculate the rolling average, there were 100 observations or more on average for the sub-metric, then no additional voluntary payments under this market penetration adjustment provision will be made to Commission for deposit with the State Treasury. However, if during the same time frame there is an average of more than 10 but less than 100 observations for a sub metric on statewide basis, then BellSouth shall calculate the additional payments to the Commission for deposit with the State Treasury by trebling the normal Tier II remedy and applying the method of calculating affected volumes ordered by the Commission.
4. Any payments made under this market penetration adjustment provision are subject to the Absolute Cap set by the Commission.

#### **1.4.5 Payment of Tier-1 and Tier-2 Amounts**

If BellSouth performance triggers an obligation to pay Tier-1 Enforcement Mechanisms to a CLEC or an obligation to remit Tier-2 Enforcement Mechanisms to the Commission or its designee, BellSouth shall make payment in the required amount on the day upon which the final validated SEEM reports are posted on the Performance Measurements Reports website as set forth in Section 2.4 above.

For each day after the due date that BellSouth fails to pay a CLEC the required amount, BellSouth will pay the CLEC 6% simple interest per annum.

If a CLEC disputes the amount paid for Tier-1 Enforcement Mechanisms, the CLEC shall submit a written claim to BellSouth within sixty (60) days after the date of the performance measurement report for which the obligation arose. BellSouth shall investigate all claims and provide the CLEC written findings within thirty (30) days after receipt of the claim. If BellSouth determines the CLEC is owed additional amounts, BellSouth shall pay the CLEC such additional amounts within thirty (30) days after its findings along with 6% simple interest per annum.

BellSouth may set off any SEEM payment to a CLEC against undisputed amounts owed by a CLEC to BellSouth pursuant to the Interconnection Agreement between the parties which have not been paid to BellSouth within ninety (90) days past the Bill Due Date as set forth in the Billing Attachment of the Interconnection Agreement.

At the end of each calendar year, BellSouth will have its independent auditing and accounting firm certify that the results of all Tier-1 and Tier-2 Enforcement Mechanisms were paid and accounted for in accordance with Generally Accepted Account Principles (GAAP).

#### **1.4.6 Limitations of Liability**

BellSouth shall not be obligated for Tier 1 or Tier 2 Enforcement Mechanisms that are triggered by causes beyond BellSouth's control and which could not have been avoided by exercise of due care. In the event of a force majeure, BellSouth may file a petition with the Commission seeking to have the monthly service results modified or may file an expedited petition seeking immediate relief from a payment pursuant to the SEEM plan. In the event of such a filing, BellSouth shall have the burden of demonstrating that the performance standard was not met due to causes beyond BellSouth's control and which could not have been avoided by exercise of due care. The filing of such a petition shall not stay payments under the SEEM plan unless otherwise ordered by the Commission.

#### **1.4.7 Enforcement Mechanism Cap**

BellSouth's total liability for the payment of Tier-1 and Tier-2 Enforcement Mechanisms shall be collectively capped at 44% of net revenue per year for the state of Georgia.

#### **1.4.8 Audits**

All auditing provisions of the Interconnection Agreement between BellSouth and each CLEC shall remain in full force and effect.

#### **1.4.9 Dispute Resolution**

Notwithstanding any other provision of the Interconnection Agreement between BellSouth and each CLEC, any dispute regarding BellSouth's performance or obligations pursuant to this Plan shall be resolved by the Commission.



## B: SEEM Submetrics

### B.1 Tier 1 Submetrics

Item No.	SQM Ref	Submetric
1	PO-1	Loop Makeup - Response Time - Manual - <del>Loops</del> Loop
2	PO-2	Loop Makeup - Response Time - Electronic - <del>Loops</del> Loop
3	O-1	Acknowledgement Message Timeliness EDI
4	O-1	Acknowledgement Message Timeliness TAG
5	O-2	Acknowledgement Message Completeness EDI
6	O-2	Acknowledgement Message Completeness TAG
7	O-4	Percent Flow-Through Service Requests (Detail) - Residence
8	O-4	Percent Flow-Through Service Requests (Detail) - Business
9	O-4	Percent Flow-Through Service Requests (Detail) - UNE-P
10	O-4	Percent Flow-Through Service Requests (Detail) - UNE-Other
11	O-4	Percent Flow-Through Service Requests (Detail) - LNP
12	O-8	Reject Interval - Fully Mechanized
13	O-8	Reject Interval - Partially Mechanized
14	O-8	Reject Interval - Non-Mechanized
15	O-9	Firm Order Confirmation Timeliness - Fully Mechanized
16	O-9	Firm Order Confirmation Timeliness - Partially Mechanized
17	O-9	Firm Order Confirmation Timeliness - Non-Mechanized
18	O-9	Firm Order Confirmation Timeliness - IC Trunks
19	O-11	Firm Order Confirmation and Reject Response Completeness - Fully Mechanized
20	P-3	Percent Missed Installation Appointments - Resale POTS
21	P-3	Percent Missed Installation Appointments - Resale Design
22	P-3	Percent Missed Installation Appointments - UNE Loop and Port Combinations
23	P-3	Percent Missed Installation Appointments - UNE Loops
24	P-3	Percent Missed Installation Appointments - UNE xDSL
25	P-3	Percent Missed Installation Appointments - UNE Line Sharing
26	P-3	Percent Missed Installation Appointments - <del>Local Interconnection Trunks</del> LNP - Standalone
27	P-3	Percent Missed Installation Appointments - LNP <del>Local Interconnection Trunks</del>

Item No.	SQM Ref	Submetric
28	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Resale POTS
29	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Resale Design
30	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop and Port Combinations
31	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop Design
32	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop Non-Design
33	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE xDSL without conditioning
34	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE xDSL with conditioning
35	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Enhanced Extended Links/Non-Switched Combinations
36	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Line Sharing
37	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Local Inter-connection Trunks
38	P-7	Coordinated Customer Conversions Interval - Unbundled Loops
39	P-7A	Coordinated Customer Conversions - Hot Cut Timeliness % Within Interval and Average Interval - UNE Loops
40	P-7C	Hot Cut Conversions - Percent Provisioning Troubles Received within 7 days of a completed service order - UNE Loops
41	P-8	Cooperative Acceptance Testing - % of xDSL Loops Successfully Passing Cooperative Testing - UNE xDSL
42	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - Resale POTS
43	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - Resale Design
44	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE Loop and Port Combinations
45	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE Loops
46	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE xDSL
47	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE Line Sharing
48	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - Local Inter-connection Trunks
49	P-11	Service Order Accuracy ( <u>Mechanized Process</u> ) - Resale
50	P-11	Service Order Accuracy ( <u>Mechanized Process</u> ) - UNE
51	P-11	Service Order Accuracy ( <u>Mechanized Process</u> ) - UNE-P
52	P-13B	LNP—Percentage of Time BellSouth Applies the 10-digit Trigger Prior to the LNP Order Due Date - LNP

Item No.	SQM Ref	Submetric
53	P-13C	LNP—Percent Out of Service < 60 Minutes - LNP
54	P-13D	LNP—Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution (Non Trigger) - LNP
55	M&R-1	Missed Repair Appointments - Resale POTS
56	M&R-1	Missed Repair Appointments - Resale Design
57	M&R-1	Missed Repair Appointments - UNE Loop and Port Combinations
58	M&R-1	Missed Repair Appointments - UNE Loops
59	M&R-1	Missed Repair Appointments - UNE xDSL
60	M&R-1	Missed Repair Appointments - UNE Line Sharing
61	M&R-1	Missed Repair Appointments - Local Interconnection Trunks
62	M&R-2	Customer Trouble Report Rate - Resale POTS
63	M&R-2	Customer Trouble Report Rate - Resale Design
64	M&R-2	Customer Trouble Report Rate - UNE Loop and Port Combinations
65	M&R-2	Customer Trouble Report Rate - UNE Loops
66	M&R-2	Customer Trouble Report Rate - UNE xDSL
67	M&R-2	Customer Trouble Report Rate - UNE Line Sharing
68	M&R-2	Customer Trouble Report Rate - Local Interconnection Trunks
69	M&R-3	Maintenance Average Duration - Resale POTS
70	M&R-3	Maintenance Average Duration - Resale Design
71	M&R-3	Maintenance Average Duration - UNE Loop and Port Combinations
72	M&R-3	Maintenance Average Duration - UNE Loops
73	M&R-3	Maintenance Average Duration - UNE xDSL
74	M&R-3	Maintenance Average Duration - UNE Line Sharing
75	M&R-3	Maintenance Average Duration - Local Interconnection Trunks
76	M&R-4	Percent Repeat Troubles within 30 days - Resale POTS
77	M&R-4	Percent Repeat Troubles within 30 days - Resale Design
78	M&R-4	Percent Repeat Troubles within 30 days - UNE Loop and Port Combinations
79	M&R-4	Percent Repeat Troubles within 30 days - UNE Loops
80	M&R-4	Percent Repeat Troubles within 30 days - UNE xDSL
81	M&R-4	Percent Repeat Troubles within 30 days - UNE Line Sharing
82	M&R-4	Percent Repeat Troubles within 30 days - Local Interconnection Trunks
83	B-1	Invoice Accuracy
84	B-2	Mean Time to Deliver Invoices - CRIS
85	B-2	Mean Time to Deliver Invoices - CABS
86	B-3	Usage Data Delivery Accuracy
87	TGP-2	Trunk Group Performance - CLEC Specific - CLEC trunk group
88	C-3	Collocation Percent of Due Dates Missed - All Collocation Arrangements

## B.2 Tier 2 Submetrics

Item No	SQM Ref	Submetric
1	OSS-1	Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering) - LENS
2	OSS-1	Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering) - TAG
3	OSS-2	OSS Availability (Pre-Ordering/Ordering) - Regional per OSS Interface
4	OSS-3	OSS Availability (Maintenance & Repair) - Regional per OSS Interface
5	PO-1	Loop Makeup - Response Time - Manual - <del>Loops</del> Loop
6	PO-2	Loop Makeup - Response Time - Electronic - <del>Loops</del> Loop
7	O-1	Acknowledgement Message Timeliness - EDI
8	O-1	Acknowledgement Message Timeliness - TAG
9	O-2	Acknowledgement Message Completeness EDI
10	O-2	Acknowledgement Message Completeness TAG
11	O-3	Percent Flow-through Service Requests (Summary)- Residence
12	O-3	Percent Flow-Through Service Requests (Summary)- Business
13	O-3	Percent Flow-Through Service Requests (Summary)- UNE-P
14	O-3	Percent Flow-Through Service Requests (Summary)- UNE-Other
15	O-3	Percent Flow-Through Service Requests (Summary)- LNP
16	O-8	Reject Interval- Fully Mechanized
17	O-8	Reject Interval- Partially Mechanized
18	O-8	Reject Interval- Non-Mechanized
19	O-9	Firm Order Confirmation Timeliness- Fully Mechanized
20	O-9	Firm Order Confirmation Timeliness- Partially Mechanized
21	O-9	Firm Order Confirmation Timeliness- Non-Mechanized
22	O-9	Firm Order Confirmation Timeliness- IC Trunks
23	O-11	Firm Order Confirmation and Reject Response Completeness - Fully Mechanized
24	P-3	Percent Missed Installation Appointments - Resale POTS
25	P-3	Percent Missed Installation Appointments - Resale Design
26	P-3	Percent Missed Installation Appointments - UNE Loop and Port Combinations
27	P-3	Percent Missed Installation Appointments - UNE Loops
28	P-3	Percent Missed Installation Appointments - UNE xDSL
29	P-3	Percent Missed Installation Appointments - UNE Line Sharing
30	P-3	Percent Missed Installation Appointments - <del>Local Interconnection Trunks</del> LNP - Standalone
31	P-3	Percent Missed Installation Appointments - <del>LNP</del> Local Interconnection Trunks
32	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Resale POTS
33	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Resale Design

Item No	SQM Ref	Submetric
34	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop and Port Combinations
35	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop Design
36	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop Non-Design
37	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE xDSL without conditioning
38	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE xDSL with conditioning
39	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Enhanced Extended Links/Non-Switched Combinations
40	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Line Sharing
41	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Local Interconnection Trunks
42	P-7	Coordinated Customer Conversions Interval - Unbundled Loops
43	P-7A	Coordinated Customer Conversions - Hot Cut Timeliness Percent within interval and Average Interval- UNE Loops
44	P-7C	Hot Cut Conversions - Percent Provisioning Troubles Received within 7 days of a completed service order - UNE Loops
45	P-8	Cooperative Acceptance Testing - Percent xDSL Loops Successful Passing Cooperative Testing - UNE xDSL
46	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - Resale POTS
47	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - Resale Design
48	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE Loop and Port Combinations
49	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE Loops
50	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE xDSL
51	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - UNE Line Sharing
52	P-9	Percent Provisioning Troubles within 30 days of Service Order Completion - Local Interconnection Trunks
53	P-11	Service Order Accuracy ( <u>Mechanized Process</u> ) - Resale
54	P-11	Service Order Accuracy ( <u>Mechanized Process</u> ) - UNE
55	P-11	Service Order Accuracy ( <u>Mechanized Process</u> ) - UNE-P
56	P-13B	LNP—Percentage of Time BellSouth Applies the 10-digit Trigger Prior to the LNP Order Due Date - <u>LNP</u>
57	P-13C	LNP—Percent Out of Service < 60 Minutes - <u>LNP</u>
58	P-13D	LNP—Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution (Non Trigger) - <u>LNP</u>

Item No	SQM Ref	Submetric
59	M&R-1	Missed Repair Appointments - Resale POTS
60	M&R-1	Missed Repair Appointments - Resale Design
61	M&R-1	Missed Repair Appointments - UNE Loop and Port Combinations
62	M&R-1	Missed Repair Appointments - UNE Loops
63	M&R-1	Missed Repair Appointments - UNE xDSL
64	M&R-1	Missed Repair Appointments - UNE Line Sharing
65	M&R-1	Missed Repair Appointments - Local Interconnection Trunks
66	M&R-2	Customer Trouble Report Rate - <del>Local Interconnection Trunks</del> Resale POTS
67	M&R-2	Customer Trouble Report Rate - Resale Design
68	M&R-2	Customer Trouble Report Rate - Resale POTS UNE Loop and Port Combinations
69	M&R-2	Customer Trouble Report Rate - UNE Line Sharing Loops
70	M&R-2	Customer Trouble Report Rate - UNE Loop and Port Combinations xDSL
71	M&R-2	Customer Trouble Report Rate - UNE Loops Line Sharing
72	M&R-2	Customer Trouble Report Rate - UNE xDSL Local Interconnection Trunks
73	M&R-3	Maintenance Average Duration - Resale POTS
74	M&R-3	Maintenance Average Duration - Resale Design
75	M&R-3	Maintenance Average Duration - UNE Loop and Port Combinations
76	M&R-3	Maintenance Average Duration - UNE Loops
77	M&R-3	Maintenance Average Duration - UNE xDSL
78	M&R-3	Maintenance Average Duration - UNE Line Sharing
79	M&R-3	Maintenance Average Duration - Local Interconnection Trunks
80	M&R-4	Percent Repeat Troubles within 30 days - Resale POTS
81	M&R-4	Percent Repeat Troubles within 30 days - Resale Design
82	M&R-4	Percent Repeat Troubles within 30 days - UNE Loop and Port Combinations
83	M&R-4	Percent Repeat Troubles within 30 days - UNE Loops
84	M&R-4	Percent Repeat Troubles within 30 days - UNE xDSL
85	M&R-4	Percent Repeat Troubles within 30 days - UNE Line Sharing
86	M&R-4	Percent Repeat Troubles within 30 days - Local Interconnection Trunks
87	B-1	Invoice Accuracy
88	B-2	Mean Time to Deliver Invoices- CRIS
89	B-2	Mean Time to Deliver Invoices- CABS
90	B-3	Usage Data Delivery Accuracy
91	TGP-1	Trunk Group Performance - CLEC Aggregate
92	C-3	Collocation Percent of Due Dates Missed - All Collocation Arrangements
93	CM-1	Timeliness of Change Management Notices - Region
94	CM-3	Timeliness of Documents Associated with Change - Region
95	CM-6	Percent of Software Errors Corrected in X (10, 30, 45) Business Days - Region
96	CM-7	Percent of Change Requests Accepted or Rejected Within 10 Days - Region

Item No	SQM Ref	Submetric
97	CM-11	Percent of Change Requests Implemented Within 60 Weeks of Prioritization - Region

### B.3 Tier 3 Submetrics

Item No.	SQM Ref	Submetric
1	P-3	Percent Missed Installation Appointments - Resale POTS
2	P-3	Percent Missed Installation Appointments - Resale Design
3	P-3	Percent Missed Installation Appointments - UNE Loop
4	P-3	Percent Missed Installation Appointments - UNE Loop & Port Combo
5	P-3	Percent Missed Installation Appointments - UNE xDSL (ADSL, HDSL, UCL)
6	P-3	Percent Missed Installation Appointments - UNE Line Sharing
7	P-3	Percent Missed Installation Appointments - LNP Standalone
8	P-3	Percent Missed Installation Appointments - Local Interconnection Trunks
9	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Resale POTS
10	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Resale Design
11	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop and Port Combinations
12	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop Design
13	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Loop Non-Design
14	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE xDSL without conditioning
15	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE xDSL with conditioning
16	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Enhanced Extended Links/Non-Switched Combinations
17	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - UNE Line Sharing
18	P-4A	Average Completion Interval (OCI) & Order Completion Interval Distribution - Local Interconnection Trunks
19	M&R-1	Missed Repair Appointments - Resale POTS
20	M&R-1	Missed Repair Appointments - Resale Design
21	M&R-1	Missed Repair Appointments - UNE Loop + Port Combo
22	M&R-1	Missed Repair Appointments - UNE Loops
23	M&R-1	Missed Repair Appointments - UNE xDSL
24	M&R-1	Missed Repair Appointments - UNE Line Sharing

Item No.	SQM Ref	Submetric
25	M&R-1	Missed Repair Appointments - Local Interconnection Trunks
26	B-1	Invoice Accuracy
27	B-2	Mean Time To Deliver Invoices - CRIS
28	B-2	Mean Time To Deliver Invoices - CABS
29	TGP-1	Trunk Group Performance - CLEC Aggregate
30	C-3	Collocation Percent of Due Dates Missed - All Collocation Agreements
31	CM-1	Timeliness of Change Management Notices - Region
32	CM-3	Timeliness of Documents Associated with Change - Region



## D: Statistical Formulas and Technical Description

### D.1 Notation and Exact Testing Distributions

Below, we have detailed the basic notation for the construction of the truncated z statistic. In what follows the word “cell” should be taken to mean a like-to-like comparison cell that has both one (or more) ILEC observation and one (or more) CLEC observation. Additionally, at the cell level, BellSouth uses the SQM retail analog as a guide to determine the specific products that should be compared in each cell.

$L =$	the total number of occupied cells
$j =$	$1, \dots, L$ ; an index for the cells
$n_{1j} =$	the number of ILEC transactions in cell j
$n_{2j} =$	the number of CLEC transactions in cell j
$n_j =$	the total number transactions in cell j; $n_{1j} + n_{2j}$
$X_{1jk} =$	individual ILEC transactions in cell j; $k = 1, \dots, n_{1j}$
$X_{2jk} =$	individual CLEC transactions in cell j; $k = 1, \dots, n_{2j}$
$Y_{jk} =$	individual transaction (both ILEC and CLEC) in cell j
	$= \begin{cases} X_{1jk} & k = 1, \dots, n_{1j} \\ X_{2jk} & k = n_{1j} + 1, \dots, n_j \end{cases}$
$\Phi^{-1}(\cdot) =$	the inverse of the cumulative standard normal distribution function

For Mean Performance Measures the following additional notation is needed.

$\bar{X}_{1j}$  = The ILEC sample mean of cell j

$\bar{X}_{2j}$  = The CLEC sample mean of cell j

$s_{1j}^2$  = The ILEC sample variance in cell j

$s_{2j}^2$  = The CLEC sample variance in cell j

$\{y_{jk}\}$  = a random sample of size  $n_{2j}$  from the set of  $Y_{j1}, \dots, Y_{jn_j}$ ;  $k = 1, \dots, n_{2j}$

$M_j$  = The total number of distinct pairs of samples of size  $n_{1j}$  and  $n_{2j}$ ;

$$= \binom{n_j}{n_{1j}}$$

The exact parity test is the permutation test based on the “modified Z” statistic. For large samples, we can avoid permutation calculations since this statistic will be normal (or Student's t) to a good approximation. For small samples, where we cannot avoid permutation calculations, we have found that the difference between “modified Z” and the textbook “pooled Z” is negligible. We therefore propose to use the permutation test based on pooled Z for small samples. This decision speeds up the permutation computations considerably, because for each permutation we need only compute the sum of the CLEC sample values, and not the pooled statistic itself.

A permutation probability mass function distribution for cell j, based on the “pooled Z” can be written as

$$PM(t) = P\left(\sum_k y_{jk} = t\right) = \frac{\text{the number of samples that sum to } t}{M_j}$$

and the corresponding cumulative permutation distribution is

$$CPM(t) = P\left(\sum_k y_{jk} \leq t\right) = \frac{\text{the number of samples with sum } \leq t}{M_j}$$

For Proportion Performance Measures the following notation is defined

- $a_{1j}$  = The number of ILEC cases possessing an attribute of interest in cell  $j$   
 $a_{2j}$  = The number of CLEC cases possessing an attribute of interest in cell  $j$   
 $a_j$  = The number of cases possessing an attribute of interest in cell  $j$ ;  $a_{1j} + a_{2j}$

The exact distribution for a parity test is the hypergeometric distribution. The hypergeometric probability mass function distribution for cell  $j$  is:

$$HG(h) = P(H = h) = \begin{cases} \frac{\binom{n_{1j}}{h} \binom{n_{2j}}{a_j - h}}{\binom{n_j}{a_j}}, & \max(0, a_j - n_{2j}) \leq h \leq \min(a_j, n_{1j}) \\ 0 & \text{otherwise} \end{cases}$$

and the cumulative hypergeometric distribution is:

$$CHG(x) = P(H \leq x) = \begin{cases} 0 & x < \max(0, a_j - n_{2j}) \\ \sum_{h=\max(0, a_j - n_{2j})}^x HG(h), & \max(0, a_j - n_{2j}) \leq x \leq \min(a_j, n_{1j}) \\ 1 & x > \min(a_j, n_{1j}) \end{cases}$$

For Rate Measures, the notation needed is defined as

- $b_{1j}$  = The number of ILEC base elements in cell  $j$   
 $b_{2j}$  = The number of CLEC base elements in cell  $j$   
 $b_j$  = The total number of base elements in cell  $j$ ;  $b_{1j} + b_{2j}$   
 $\hat{r}_{1j}$  = The ILEC sample rate of cell  $j$ ;  $n_{1j}/b_{1j}$   
 $\hat{r}_{2j}$  = The CLEC sample rate of cell  $j$ ;  $n_{2j}/b_{2j}$   
 $q_j$  = The relative proportion of ILEC elements for cell  $j$ ;  $b_{1j}/b_j$

The exact distribution for a parity test is the binomial distribution. The binomial probability mass function distribution for cell  $j$  is

$$BN(k) = P(B = k) = \begin{cases} \binom{n_j}{k} q_j^k (1 - q_j)^{n_j - k}, & 0 \leq k \leq n_j \\ 0 & \text{otherwise} \end{cases}$$

and the cumulative binomial distribution is

$$CBN(x) = P(B \leq x) = \begin{cases} 0 & x < 0 \\ \sum_{k=0}^x BN(k), & 0 \leq x \leq n_j \\ 1 & x > n_j \end{cases}$$

For Ratio Performance Measures the following additional notation is needed.

$U_{1jk}$  = additional quantity of interest of an individual ILEC transaction in cell  $j$ ;  $k = 1, \dots, n_{1j}$

$U_{2jk}$  = additional quantity of interest of an individual CLEC transaction in cell  $j$ ;  $k = 1, \dots, n_{2j}$

$\hat{R}_{ij}$  = the ILEC ( $i = 1$ ) or CLEC ( $i = 2$ ) ratio of the total additional quantity of interest to the base transaction total in cell  $j$ , i.e.,  
 $\sum_k U_{ik} / \sum_k X_{jk}$

## D.2 Calculating the Truncated Z

The general methodology for calculating an aggregate level test statistic is outlined below.

### D.2.1 Calculate Cell Weights ( $W_j$ )

A weight based on the number of transactions is used so that a cell, which has a larger number of transactions, has a larger weight. The actual weight formulae will depend on the type of measure.

#### Mean or Ratio Measure

$$W_j = \sqrt{\frac{n_{1j} n_{2j}}{n_j}}$$

### Proportion Measure

$$W_j = \sqrt{\frac{n_{2j}n_{1j}}{n_j} \cdot \frac{a_j}{n_j} \cdot \left(1 - \frac{a_j}{n_j}\right)}$$

### Rate Measure

$$W_j = \sqrt{\frac{b_{1j}b_{2j}}{b_j} \cdot \frac{n_j}{b_j}}$$

## D.2.2 Calculate a Z Value ( $Z_j$ ) for each Cell

A Z statistic with mean 0 and variance 1 is needed for each cell.

- If  $W_j = 0$ , set  $Z_j = 0$ .
- Otherwise, the actual Z statistic calculation depends on the type of performance measure.

### Mean Measure

$$Z_j = \Phi^{-1}(\alpha)$$

where  $\alpha$  is determined by the following algorithm.

If  $\min(n_{1j}, n_{2j}) > 6$ , then determine  $\alpha$  as

$$\alpha = P(t_{n_{1j}-1} \leq T_j)$$

that is,  $\alpha$  is the probability that a t random variable with  $n_{1j} - 1$  degrees of freedom, is less than

$$T_j = \begin{cases} t_j + \frac{g}{6} \left( \frac{n_{1j} + 2n_{2j}}{\sqrt{n_{1j} n_{2j} (n_{1j} + n_{2j})}} \right) \left( t_j^2 + \frac{n_{2j} - n_{1j}}{n_{1j} + 2n_{2j}} \right) & t_j \geq t_{\min j} \\ t_j + \frac{g}{6} \left( \frac{n_{1j} + 2n_{2j}}{\sqrt{n_{1j} n_{2j} (n_{1j} + n_{2j})}} \right) \left( t_{\min j}^2 + \frac{n_{2j} - n_{1j}}{n_{1j} + 2n_{2j}} \right) & \text{otherwise} \end{cases}$$

where

$$t_j = \frac{\bar{X}_{1j} - \bar{X}_{2j}}{s_{1j} \sqrt{\frac{1}{n_{1j}} + \frac{1}{n_{2j}}}}$$

$$t_{\min j} = \frac{-3\sqrt{n_{1j}n_{2j}n_j}}{g(n_{1j} + 2n_{2j})}$$

and  $g$  is the median value of all values of

$$\gamma_{1j} = \frac{n_{1j}}{(n_{1j} - 1)(n_{1j} - 2)} \sum_k \left( \frac{X_{1jk} - \bar{X}_{1j}}{s_{1j}} \right)^3$$

with  $n_{1j} > n_{3q}$  for all values of  $j$ .  $n_{3q}$  is the 3 quartile of all values of  $n_{1j}$ .

Note, that  $t_j$  is the “modified Z” statistic. The statistic  $T_j$  is a “modified Z” corrected for the skewness of the ILEC data.

If  $\min(n_{1j}, n_{2j}) \leq 6$ , and

- $M_j \leq 1,000$  (the total number of distinct pairs of samples of size  $n_{1j}$  and  $n_{2j}$  is 1,000 or less).
  - Calculate the sample sum for all possible samples of size  $n_{2j}$ .
  - Rank the sample sums from smallest to largest. Ties are dealt by using average ranks.
  - Let  $R_0$  be the rank of the observed sample sum with respect all the sample sums.

$$\alpha = 1 - \frac{R_0 - 0.5}{M_j}$$

- $M_j > 1,000$ 
  - Draw a random sample of 1,000 sample sums from the permutation distribution.
  - Add the observed sample sum to the list. There are a total of 1001 sample sums. Rank the sample sums from smallest to largest. Ties are dealt by using average ranks.
  - Let  $R_0$  be the rank of the observed sample sum with respect all the sample sums.

$$\alpha = 1 - \frac{R_0 - 0.5}{1001}$$

### Proportion Measure

$$Z_j = \frac{n_j a_{1j} - n_{1j} a_j}{\sqrt{\frac{n_{1j} n_{2j} a_j (n_j - a_j)}{n_j - 1}}}$$

### Rate Measure

$$Z_j = \frac{n_{1j} - n_j q_j}{\sqrt{n_j q_j (1 - q_j)}}$$

### Ratio Measure

$$Z_j = \frac{\hat{R}_{1j} - \hat{R}_{2j}}{\sqrt{V(\hat{R}_{1j}) \left( \frac{1}{n_{1j}} + \frac{1}{n_{2j}} \right)}}$$

$$V(\hat{R}_{1j}) = \frac{\sum_k (U_{1jk} - \hat{R}_{1j} X_{1jk})^2}{\bar{X}_{1j}^2 (n_{1j} - 1)} = \frac{\sum_k U_{1jk}^2 - 2\hat{R}_{1j} \sum_k (U_{1jk} X_{1jk}) + \hat{R}_{1j}^2 \sum_k X_{1jk}^2}{\bar{X}_{1j}^2 (n_{1j} - 1)}$$

### D.2.3 Obtain a Truncated Z Value for each Cell ( $Z_j^*$ )

To limit the amount of cancellation that takes place between cell results during aggregation, cells whose results suggest possible favoritism are left alone. Otherwise the cell statistic is set to zero. This means that positive equivalent Z values are set to 0, and negative values are left alone. Mathematically, this is written as

$$Z_j^* = \min(0, Z_j)$$

## D.2.4 Calculate the Theoretical Mean and Variance

Calculate the theoretical mean and variance of the truncated statistic under the null hypothesis of parity,  $E(Z_j^* | H_0)$  and  $\text{Var}(Z_j^* | H_0)$ . To compensate for the truncation in step 3, an aggregated, weighted sum of the  $Z_j^*$  will need to be centered and scaled properly so that the final aggregate statistic follows a standard normal distribution.

- If  $W_j = 0$ , then no evidence of favoritism is contained in the cell. The formulae for calculating  $E(Z_j^* | H_0)$  and  $\text{Var}(Z_j^* | H_0)$  cannot be used. Set both equal to 0.
- If  $\min(n_{1j}, n_{2j}) > 6$  for a mean measure,  $\min\{a_{1j}(1 - \frac{a_{1j}}{n_{1j}}), a_{2j}(1 - \frac{a_{2j}}{n_{2j}})\} > 9$  for a proportion measure,  $\min(n_{1j}, n_{2j}) > 15$  and  $n_{qj}(1 - q_j) > 9$  for a rate measure, or  $n_{1j}$  and  $n_{2j}$  are large for a ratio measure then

$$E(Z_j^* | H_0) = -\frac{1}{\sqrt{2\pi}}$$

and

$$\text{Var}(Z_j^* | H_0) = \frac{1}{2} - \frac{1}{2\pi}$$

- Otherwise, determine the total number of values for  $Z_j^*$ . Let  $z_{ji}$  and  $\theta_{ji}$ , denote the values of  $Z_j^*$  and the probabilities of observing each value, respectively.

$$E(Z_j^* | H_0) = \sum_i \theta_{ji} z_{ji}$$

and

$$\text{Var}(Z_j^* | H_0) = \sum_i \theta_{ji} z_{ji}^2 - [E(Z_j^* | H_0)]^2$$

The actual values of the  $z$ 's and  $\theta$ 's depends on the type of measure.



### Mean Measure

$$N_j = \min(M_j, 1,000), \quad i = 1, \dots, N_j$$

$$z_{ji} = \min \left\{ 0, \Phi^{-1} \left( 1 - \frac{R_i - 0.5}{N_j} \right) \right\} \quad \text{where } R_i \text{ is the rank of sample sum } i$$

$$\theta_j = \frac{1}{N_j}$$

### Proportion Measure

$$z_{ji} = \min \left\{ 0, \frac{n_j i - n_{1j} a_j}{\sqrt{\frac{n_{1j} n_{2j} a_j (n_j - a_j)}{n_j - 1}}} \right\}, \quad i = \max(0, a_j - n_{2j}), \dots, \min(a_j, n_{1j})$$

$$\theta_{ji} = HG(i)$$

### Rate Measure

$$z_{ji} = \min \left\{ 0, \frac{i - n_j q_j}{\sqrt{n_j q_j (1 - q_j)}} \right\}, \quad i = 0, \dots, n_j$$

$$\theta_{ji} = BN(i)$$

### Ratio Measure

The performance measure that is in this class is billing accuracy. If a parity test were used, the sample sizes for this measure are quite large, so there is no need for a small sample technique. If one does need a small sample technique, then a re-sampling method can be used.

## D.2.5 Calculate the Aggregate Test Statistic ( $Z^T$ )

$$Z^T = \frac{\sum_j W_j Z_j^* - \sum_j W_j E(Z_j^* | H_0)}{\sqrt{\sum_j W_j^2 \text{Var}(Z_j^* | H_0)}}$$

### The Balancing Critical Value

There are four key elements of the statistical testing process:

- the null hypothesis,  $H_0$ , that parity exists between ILEC and CLEC services
- the alternative hypothesis,  $H_a$ , that the ILEC is giving better service to its own customers
- the Truncated Z test statistic,  $Z^T$ , and
- a critical value,  $c$

The decision rule<sup>1</sup> is

If  $Z^T < c$  then accept  $H_a$ .

If  $Z^T \geq c$  then accept  $H_0$ .

There are two types of error possible when using such a decision rule:

**Type I Error:** Deciding favoritism exists when there is, in fact, no favoritism.

**Type II Error:** Deciding parity exists when there is, in fact, favoritism.

The probabilities of each type of each are:

- **Type I Error:**  $-\alpha = P(Z^T < c | H_0) \quad \alpha = P(Z^T < c | H_0)$
- **Type II Error:**  $\beta = P(Z^T \geq c | H_a)$

We want a balancing critical value,  $c_B$ , so that  $\alpha = \beta$ .

It can be shown that.

$$c_B = \frac{\sum_j W_j M(m_j, se_j) - \sum_j W_j \frac{-1}{\sqrt{2\pi}}}{\sqrt{\sum_j W_j^2 V(m_j, se_j)} + \sqrt{\sum_j W_j^2 \left( \frac{1}{2} - \frac{1}{2\pi} \right)}}$$

where

$$M(\mu, \sigma) = \mu \Phi\left(\frac{-\mu}{\sigma}\right) - \sigma \phi\left(\frac{-\mu}{\sigma}\right)$$

1. This decision rule assumes that a negative test statistic indicates poor service for the CLEC customer. If the opposite is true, then reverse the decision rule.

$$V(\mu, \sigma) = (\mu^2 + \sigma^2)\Phi\left(\frac{-\mu}{\sigma}\right) - \mu\sigma\phi\left(\frac{-\mu}{\sigma}\right) - M(\mu, \sigma)^2$$

$\Phi(\cdot)$  is the cumulative standard normal distribution function, and  $\phi(\cdot)$  is the standard normal density function.

This formula assumes that  $Z_j$  is approximately normally distributed within cell  $j$ . When the cell sample sizes,  $n_{1j}$  and  $n_{2j}$ , are small this may not be true. It is possible to determine the cell mean and variance under the null hypothesis when the cell sample sizes are small. It is much more difficult to determine these values under the alternative hypothesis. Since the cell weight,  $W_j$  will also be small (see calculate weights section above) for a cell with small volume, the cell mean and variance will not contribute much to the weighted sum. Therefore, the above formula provides a reasonable approximation to the balancing critical value.

The values of  $m_j$  and  $se_j$  will depend on the type of performance measure.

### Mean Measure

For mean measures, one is concerned with two parameters in each cell, namely, the mean and variance. A possible lack of parity may be due to a difference in cell means, and/or a difference in cell variances. One possible set of hypotheses that capture this notion, and take into account the assumption that transaction are identically distributed within cells is:

$$H_0: \mu_{1j} = \mu_{2j}, \sigma_{1j}^2 = \sigma_{2j}^2$$

$$H_a: \mu_{2j} = \mu_{1j} + \delta_j \cdot \sigma_{1j}, \sigma_{2j}^2 = \lambda_j \cdot \sigma_{1j}^2 \delta_j > 0, \lambda_j \geq 1 \text{ and } j = 1, \dots, L.$$

Under this form of alternative hypothesis, the cell test statistic  $Z_j$  has mean and standard error given by

$$m_j = \frac{-\delta_j}{\sqrt{\frac{1}{n_{1j}} + \frac{1}{n_{2j}}}}$$

and

$$se_j = \sqrt{\frac{\lambda_j n_{1j} + n_{2j}}{n_{1j} + n_{2j}}}$$

## Proportion Measure

For a proportion measure there is only one parameter of interest in each cell, the proportion of transaction possessing an attribute of interest. A possible lack of parity may be due to a difference in cell proportions. A set of hypotheses that take into account the assumption that transaction are identically distributed within cells while allowing for an analytically tractable solution is:

$$H_0: \frac{p_{2j}(1-p_{1j})}{(1-p_{2j})p_{1j}} = 1$$

$$H_a: \frac{p_{2j}(1-p_{1j})}{(1-p_{2j})p_{1j}} = \psi_j \quad \psi_j > 1 \text{ and } j = 1, \dots, L.$$

These hypotheses are based on the "odds ratio." If the transaction attribute of interest is a missed trouble repair, then an interpretation of the alternative hypothesis is that a CLEC trouble repair appointment is  $\psi_j$  times more likely to be missed than an ILEC trouble.

Under this form of alternative hypothesis, the within cell asymptotic mean and variance of  $a_{1j}$  are given by<sup>1</sup>

$$E(a_{1j}) = n_j \pi_j^{(1)}$$

$$\text{var}(a_{1j}) = \frac{n_j}{\frac{1}{\pi_j^{(1)}} + \frac{1}{\pi_j^{(2)}} + \frac{1}{\pi_j^{(3)}} + \frac{1}{\pi_j^{(4)}}}$$

where

1. Stevens, W. L. (1951) Mean and Variance of an entry in a Contingency Table. *Biometrika*, 38, 468-470.

$$\begin{aligned}
 \pi_j^{(1)} &= f_j^{(1)} \left( n_j^2 + f_j^{(2)} + f_j^{(3)} - f_j^{(4)} \right) \\
 \pi_j^{(2)} &= f_j^{(1)} \left( -n_j^2 - f_j^{(2)} + f_j^{(3)} + f_j^{(4)} \right) \\
 \pi_j^{(3)} &= f_j^{(1)} \left( -n_j^2 + f_j^{(2)} - f_j^{(3)} + f_j^{(4)} \right) \\
 \pi_j^{(4)} &= f_j^{(1)} \left( n_j^2 \left( \frac{2}{\psi_j} - 1 \right) - f_j^{(2)} - f_j^{(3)} - f_j^{(4)} \right) \\
 f_j^{(1)} &= \frac{1}{2n_j^2 \left( \frac{1}{\psi_j} - 1 \right)} \\
 f_j^{(2)} &= n_j n_{1j} \left( \frac{1}{\psi_j} - 1 \right) \\
 f_j^{(3)} &= n_j a_j \left( \frac{1}{\psi_j} - 1 \right) \\
 f_j^{(4)} &= \sqrt{n_j^2 \left[ 4n_{1j} (n_j - a_j) \left( \frac{1}{\psi_j} - 1 \right) + \left( n_j + (a_j - n_{1j}) \left( \frac{1}{\psi_j} - 1 \right) \right)^2 \right]}
 \end{aligned}$$

Recall that the cell test statistic is given by

$$Z_j = \frac{n_j a_{1j} - n_{1j} a_j}{\sqrt{\frac{n_{1j} n_{2j} a_j (n_j - a_j)}{n_j - 1}}}$$

Using the equations above, we see that  $Z_j$  has mean and standard error given by

$$m_j = \frac{n_j^2 \pi_j^{(1)} - n_{1j} a_j}{\sqrt{\frac{n_{1j} n_{2j} a_j (n_j - a_j)}{n_j - 1}}}$$

and

$$se_j = \sqrt{\frac{n_j^3 (n_j - 1)}{n_{1j} n_{2j} a_j (n_j - a_j) \left( \frac{1}{\pi_j^{(1)}} + \frac{1}{\pi_j^{(2)}} + \frac{1}{\pi_j^{(3)}} + \frac{1}{\pi_j^{(4)}} \right)}}$$

## Rate Measure

A rate measure also has only one parameter of interest in each cell, the rate at which a phenomenon is observed relative to a base unit, e.g. the number of troubles per available line. A possible lack of parity may be due to a difference in cell rates. A set of hypotheses that take into account the assumption that transaction are identically distributed within cells is:

$$H_0: r_{1j} = r_{2j}$$

$$H_a: r_{2j} = \epsilon_j r_{1j} \epsilon_j > 1 \text{ and } j = 1, \dots, L.$$

Given the total number of ILEC and CLEC transactions in a cell,  $n_j$ , and the number of base elements,  $b_{1j}$  and  $b_{2j}$ , the number of ILEC transaction,  $n_{1j}$ , has a binomial distribution from  $n_j$  trials and a probability of

$$q_j^* = \frac{r_{1j} b_{1j}}{r_{1j} b_{1j} + r_{2j} b_{2j}}$$

Therefore, the mean and variance of  $n_{1j}$ , are given by

$$\begin{aligned} E(n_{1j}) &= n_j q_j^* \\ \text{var}(n_{1j}) &= n_j q_j^* (1 - q_j^*) \end{aligned}$$

Under the null hypothesis

$$q_j^* = q_j = \frac{b_{1j}}{b_j}$$

but under the alternative hypothesis

$$q_j^* = q_j^a = \frac{b_{1j}}{b_{1j} + \epsilon_j b_{2j}}$$

Recall that the cell test statistic is given by

$$Z_j = \frac{n_{1j} - n_j q_j}{\sqrt{n_j q_j (1 - q_j)}}$$

Using the relationships above, we see that  $Z_j$  has mean and standard error given by

$$m_j = \frac{n_j (q_j^a - q_j)}{\sqrt{n_j q_j (1 - q_j)}} = (1 - \epsilon_j) \frac{\sqrt{n_j b_{1j} b_{2j}}}{b_{1j} + \epsilon_j b_{2j}}$$

and

$$se_j = \sqrt{\frac{q_j^a (1 - q_j^a)}{q_j (1 - q_j)}} = \sqrt{\epsilon_j} \frac{b_j}{b_{1j} + \epsilon_j b_{2j}}$$

### Ratio Measure

As with mean measures, one is concerned with two parameters in each cell, the mean and variance, when testing for parity of ratio measures. As long as sample sizes are large, as in the case of billing accuracy, the same method for finding  $m_j$  and  $se_j$  that is used for mean measures can be used for ratio measures.

## D.2.6 Determining the Parameters of the Alternative Hypothesis

In this section we have indexed the alternative hypothesis of mean measures by two sets of parameters,  $\lambda_j$  and  $\delta_j$ . Proportion and rate measures have been indexed by one set of parameters each,  $\psi_j$  and  $\epsilon_j$  respectively. A major difficulty with this approach is that more than one alternative will be of interest; for example we may consider one alternative in which all the  $\delta_j$  are set to a common non-zero value, and another set of alternatives in each of which just one  $\delta_j$  is non-zero, while all the rest are zero. There are very many other possibilities. Each possibility leads to a single value for the balancing critical value; and each possible critical value corresponds to many sets of alternative hypotheses, for each of which it constitutes the correct balancing value.

The formulas we have presented can be used to evaluate the impact of different choices of the overall critical value. For each putative choice, we can evaluate the set of alternatives for which this is the correct balancing value. While statistical science can be used to evaluate the impact of different choices of these parameters, there is not much that an appeal to statistical principles can offer in directing specific choices. Specific choices are best left to telephony experts. Still, it is possible to comment on some aspects of these choices:

*Parameter Choices for  $\lambda_j$*  – The set of parameters  $\lambda_j$  index alternatives to the null hypothesis that arise because there might be greater unpredictability or variability in the delivery of service to a CLEC customer over that which would be achieved for an otherwise comparable ILEC customer. While concerns about differences in the variability of service are important, it turns out that the truncated Z testing which is being recommended here is relatively insensitive to all but very large values of the  $\lambda_j$ . Put another way, reasonable differences in the values chosen here could make very little difference in the balancing points chosen.

*Parameter Choices for  $\delta_j$*  – The set of parameters  $\delta_j$  are much more important in the choice of the balancing point than was true for the  $\lambda_j$ . The reason for this is that they directly index differences in average service. The truncated Z test is very sensitive to any such differences; hence, even small disagreements among experts in the choice of the  $\delta_j$  could be very important. Sample size matters here too. For example, setting all the  $\delta_j$  to a single value –  $\delta_j = \delta$  – might be fine for tests across individual CLECs where currently in Georgia the CLEC customer bases are not too different. Using the same value of  $\delta$  for the overall state testing does not seem sensible. At the state level we are aggregating over CLECs, so using the same  $\delta$  as for an individual CLEC would be saying that a “meaningful” degree of disparity is one where the violation is the same ( $\delta$ ) for each CLEC. But the detection of disparity for any component CLEC is important, so the relevant “overall”  $\delta$  should be smaller.

*Parameter Choices for  $\psi_j$  or  $\varepsilon_j$*  – The set of parameters  $\psi_j$  or  $\varepsilon_j$  are also important in the choice of the balancing point for tests of their respective measures. The reason for this is that they directly index increases in the proportion or rate of service performance. The truncated Z test is sensitive to such increases; but not as sensitive as the case of  $\delta$  for mean measures. Sample size matters here too. As with mean measures, using the same value of  $\psi$  or  $\varepsilon$  for the overall state testing does not seem sensible.

The three parameters are related however. If a decision is made on the value of  $\delta$ , it is possible to determine equivalent values of  $\psi$  and  $\varepsilon$ . The following equations, in conjunction with the definitions of  $\psi$  and  $\varepsilon$ , show the relationship with delta.

$$\delta = 2 \cdot \arcsin(\sqrt{\hat{p}_2}) - 2 \cdot \arcsin(\sqrt{\hat{p}_1})$$

$$\delta = 2\sqrt{\hat{t}_2} - 2\sqrt{\hat{t}_1}$$

The bottom line here is that beyond a few general considerations, like those given above, a principled approach to the choice of the alternative hypotheses to guard against must come from elsewhere.

### **Decision Process**

Once  $Z^T$  has been calculated, it is compared to the balancing critical value to determine if the ILEC is favoring its own customers over a CLEC’s customers.



This critical value changes as the ILEC and CLEC transaction volume change. One way to make this transparent to the decision-maker, is to report the difference between the test statistic and the critical value,  $diff = Z^T - c_B$ . If favoritism is concluded when  $Z^T < c_B$ , then the  $diff < 0$  indicates favoritism.

This makes it very easy to determine favoritism: a positive *diff* suggests no favoritism, and a negative *diff* suggests favoritism.

## E: BST SEEM Remedy Calculation Procedures

### E.1 Tier-1 Calculation For Retail Analogs

1. Calculate the overall test statistic for each CLEC;  $z_{CLEC-1}^T$  (Per Statistical Methodology - by Dr. Mulrow)
2. Calculate the balancing critical value ( $^cB_{CLEC-1}$ ) that is associated with the alternative hypothesis (for fixed parameters  $\delta, \Psi$ , or  $\epsilon$ )
3. If the overall test statistic is equal to or above the balancing critical value, stop here. That is, if  $^cB_{CLEC-1} < z_{CLEC-1}^T$ , stop here. Otherwise, go to step 4.
4. Calculate the Parity Gap by subtracting the value of step 2 from that of step 1.  $ABS(z_{CLEC-1}^T - ^cB_{CLEC-1})$
5. Calculate the Volume Proportion using a linear distribution with slope of  $\frac{1}{4}$ . This can be accomplished by taking the absolute value of the Parity Gap from step 4 divided by 4;  $ABS((z_{CLEC-1}^T - ^cB_{CLEC-1}) / 4)$ . All parity gaps equal or greater to 4 will result in a volume proportion of 100%.
6. Calculate the Affected Volume by multiplying the Volume Proportion from step 5 by the Total Impacted CLEC-1 Volume ( $I_c$ ) in the negatively affected cell; where the cell value is negative.
7. Calculate the payment to CLEC-1 by multiplying the result of step 6 by the appropriate dollar amount from the fee schedule.
8. Then, CLEC-1 payment = Affected Volume<sub>CLEC1</sub> \* \$\$from Fee Schedule

#### E.1.1 Example: CLEC-1 Missed Installation Appointments (MIA) for Resale POTS

**Note:** the statistical results are only illustrative. They are not a result of a statistical test of this data.

	$n_I$	$N_C$	$I_C$	$MIA_I$	$MIA_C$	$z_{CLEC-1}^T$	$C_B$	Parity Gap	Volume Proportion	Affected Volume
State	50000	600	96	9%	16%	-1.92	-0.21	1.71	0.4275	
Cell						$z_{CLEC-1}$				
1		150	17	0.091	0.113	-1.994				8
2		75	8	0.176	0.107	0.734				
3		10	4	0.128	0.400	-2.619				2
4		50	17	0.158	0.340	-2.878				8
5		15	2	0.245	0.133	1.345				
6		200	26	0.156	0.130	0.021				
7		30	7	0.166	0.233	-0.600				3
8		20	3	0.106	0.150	-0.065				2
9		40	9	0.193	0.225	-0.918				4
10		10	3	0.160	0.300	-0.660				2
										29

where  $n_I$  = ILEC observations and  $n_C$  = CLEC-1 observations

Payout for CLEC-1 is (29 units) \* (\$100/unit) = \$2,900

### E.1.2 Example: CLEC-1 Order Completion Interval (OCI) for Resale POTS

	$n_I$	$n_C$	$I_C$	$OCI_I$	$OCI_C$	$z_{CLEC-1}^T$	$C_B$	Parity Gap	Volume Proportion	Affected Volume
State	50000	600	600	5days	7days	-1.92	-0.21	1.71	0.4275	
Cell						$z_{CLEC-1}$				
1		150	150	5	7	-1.994				64
2		75	75	5	4	0.734				
3		10	10	2	3.8	-2.619				4
4		50	50	5	7	-2.878				21
5		15	15	4	2.6	1.345				
6		200	200	3.8	2.7	0.021				
7		30	30	6	7.2	-0.600				13
8		20	20	5.5	6	-0.065				9
9		40	40	8	10	-0.918				17

	$n_I$	$n_C$	$I_C$	$OCI_I$	$OCI_C$	$z^T_{CLEC-1}$	$C_B$	Parity Gap	Volume Proportion	Affected Volume
10		10	10	6	7.3	-0.660				4
										133

where  $n_I$  = ILEC observations and  $n_C$  = CLEC-1 observations

Payout for CLEC-1 is (133 units) \* (\$100/unit) = \$13,300

## E.2 Tier-2 Calculation For Retail Analogues

1. Tier-2 is triggered by three consecutive monthly failures of any Tier 2 Remedy Plan sub-metric.
2. Therefore, calculate monthly statistical results and affected volumes as outlined in steps 2 through 6 for the CLEC Aggregate performance. Determine the affected volume for each of the months in the rolling 3-month period.
3. Calculate the payment to State Designated Agency by averaging the 3-monthly affected volumes, then multiplying that number by the appropriate dollar amount from the Tier-2 fee schedule.
4. Therefore, State Designated Agency payment = Average of 3 months affected volumes \* \$\$from Fee Schedule

### E.2.1 Example: CLEC-A Missed Installation Appointments (MIA) for Resale POTS

State	$n_I$	$n_C$	$I_C$	$MIA_I$	$MIA_C$	$z^T_{CLEC-A}$	$C_B$	Parity Gap	Volume Proportion	Affected Volume
Month 1	180000	2100	336	9%	16%	-1.92	-0.21	1.71	0.4275	
Cell						$z_{CLEC-A}$				
1		500	56	0.091	0.112	-1.994				24
2		300	30	0.176	0.100	0.734				
3		80	27	0.128	0.338	-2.619				12
4		205	60	0.158	0.293	-2.878				26
5		45	4	0.245	0.089	1.345				
6		605	79	0.156	0.131	0.021				
7		80	19	0.166	0.238	-0.600				9
8		40	6	0.106	0.150	-0.065				3
9		165	36	0.193	0.218	-0.918				16
10		80	19	0.160	0.238	-0.660				9

State	$n_I$	$n_C$	$I_C$	$MIA_I$	$MIA_C$	$z^T_{CLEC-A}$	$C_B$	Parity Gap	Volume Proportion	Affected Volume
										99

where  $n_I$  = ILEC observations and  $n_C$  = CLEC-A observations

Assume Months 2 and 3 have the same affected volumes. Payout 99 units \* \$300/unit = \$29,700.

If the above example represented performance for each of months 1 through 3, then

### E.2.2 Example: CLEC-A Missed Installation Appointments

State	Miss	Remedy Dollars
Month 1	X	\$29,700
Month 2	X	\$29,700
Month 3	X	\$29,700
Payment		\$89,100

### E.3 Tier-1 Calculation For Benchmarks

- For each CLEC, with five or more observations, calculate monthly performance results for the State.
- CLECs having observations (sample sizes) between 5 and 30 will use Table 1 one of the tables below. The only exception will be for Collocation Percent Missed Due Dates.

Table 1: Small Sample Size (except EEL)

Sample Size	Equivalent 90% Benchmark	Equivalent 95% Benchmark	Sample Size	Equivalent 90% Benchmark	Equivalent 95% Benchmark
5	60.00%	80.00%	18	77.78%	83.33%
6	66.67%	83.33%	19	78.95%	84.21%
7	71.43%	85.71%	20	80.00%	85.00%
8	75.00%	75.00%	21	76.19%	85.71%
9	66.67%	77.78%	22	77.27%	86.36%
10	70.00%	80.00%	23	78.26%	86.96%
11	72.73%	81.82%	24	79.17%	87.50%
12	75.00%	83.33%	25	80.00%	88.00%
13	76.92%	84.62%	26	80.77%	88.46%
14	78.57%	85.71%	27	81.48%	88.89%
15	73.33%	86.67%	28	78.57%	89.29%

Table 1: Small Sample Size (except EEL)

Sample Size	Equivalent 90% Benchmark	Equivalent 95% Benchmark	Sample Size	Equivalent 90% Benchmark	Equivalent 95% Benchmark
16	75.00%	87.50%	29	79.31%	86.21%
17	76.47%	82.35%	30	80.00%	86.67%

Table 2: EELs Small Sample Size

Sample Size	Equivalent 30% Benchmark	Sample Size	Equivalent 70% Benchmark
5	0.2	5	0.4
6	0.1667	6	0.3333
7	0.1429	7	0.4286
8	0.125	8	0.375
9	0.1111	9	0.4444
10	0.1	10	0.5
11	0.0909	11	0.4545
12	0.0833	12	0.5
13	0.0769	13	0.4615
14	0.1429	14	0.5
15	0.1333	15	0.4667
16	0.125	16	0.5
17	0.1176	17	0.5294
18	0.1111	18	0.5
19	0.1579	19	0.5263
20	0.15	20	0.55
21	0.1429	21	0.5238
22	0.1364	22	0.5455
23	0.1304	23	0.5217
24	0.1667	24	0.5417
25	0.16	25	0.56
26	0.1538	26	0.5385
27	0.1481	27	0.5556
28	0.1786	28	0.5714
29	0.1724	29	0.5517
30	0.1667	30	0.5667
31	0.3	31	0.7

- If the percentage (or equivalent percentage for small samples) meets the benchmark standard, stop here. Otherwise, go to step 4.

4. Determine the Volume Proportion by taking the difference between the benchmark and the actual performance result.
5. Calculate the Affected Volume by multiplying the Volume Proportion from step 4 by the Total Impacted CLEC-1 Volume.
6. Calculate the payment to CLEC-1 by multiplying the result of step 5 by the appropriate dollar amount from the fee schedule.
7.  $\text{CLEC-1 payment} = \text{Affected Volume}_{\text{CLEC-1}} * \$\$ \text{from Fee Schedule}$

### E.3.1 Example: CLEC-1 Percent Missed Due Dates for Collocations

	$n_c$	Benchmark	$MIA_c$	Volume Proportion	Affected Volume
State	600	10%	13%	.03	18

Payout for CLEC-1 is  $(18 \text{ units}) * (\$5000/\text{unit}) = \$90,000$

## E.4 Tier-1 Calculation For Benchmarks (In The Form Of A Target)

1. For each CLEC with five or more observations calculate monthly performance results for the State.
2. CLECs having observations (sample sizes) between 5 and 30 will use Table I above.
3. Calculate the interval distribution based on the same data set used in step 1.
4. If the 'percent within' (or equivalent percentage for small samples) meets the benchmark standard, stop here. Otherwise, go to step 5.
5. Determine the Volume Proportion by taking the difference between benchmark and the actual performance result.
6. Calculate the Affected Volume by multiplying the Volume Proportion from step 5 by the Total CLEC-1 Volume.
7. Calculate the payment to CLEC-1 by multiplying the result of step 6 by the appropriate dollar amount from the fee schedule.

$\text{CLEC-1 payment} = \text{Affected Volume}_{\text{CLEC1}} * \$\$ \text{from Fee Schedule}$

### E.4.1 Example: CLEC-1 Reject Timeliness

	$n_c$	Benchmark	Reject Timeliness	Volume Proportion	Affected Volume
State	600	95% within 1 hour	93% within 1 hour	.02	12

Payout for CLEC-1 is (12 units) \* (\$100/unit) = \$1,200

### **E.5 Tier-2 Calculations For Benchmarks**

Tier-2 calculations for benchmark measures are the same as the Tier-1 benchmark calculations, except the CLEC Aggregate data having failed for three months.



## F: Reposting Of Performance Data and Recalculation of SEEM Payments

.....

This appendix contains BellSouth's Policy On Reposting Of Performance Data and Recalculation of SEEM Payments.

BellSouth will make available reposted performance data as reflected in the Service Quality Measurement ("SQM") reports and the Monthly State Summary ("MSS") report and recalculate Self-Effectuating Enforcement ("SEEM") payments using the Parity Analysis and Remedy Information System (PARIS), to the extent technically feasible, under the following circumstances:

1. ~~Only those~~ Those measures included in a state's specific ~~SEEM~~ SQM plan with corresponding sub-metrics are subject to reposting. ~~The measures subject to reposting will be adjusted to reflect any changes in the measures included in the SEEM plans.~~
2. Performance sub-metric calculations for ~~SEEM Measures~~ as reflected in the MSS that result in a shift in the performance in the aggregate from an "in parity" condition to an "out of parity" condition will be available for reposting.
3. Performance sub-metric calculations for ~~SEEM Measures~~ with benchmarks that are in an "out of parity" condition will be available for reposting whenever there is a  $\geq 2\%$  deviation in performance at the sub-metric level, ~~provided that there are at least 100 CLEC transactions in the sub-metric.~~
4. Performance sub-metric calculations for ~~SEEM Measures~~ with retail analogues that are in an "out of parity" condition will be available for reposting whenever there is a .5 change in the z-score at the sub-metric level, ~~provided that there are at least 100 CLEC transactions in the sub-metric.~~
5. Performance data will be available with the updated data for a maximum of three months in arrears. Performance data charts (MSS Charts) that incorporate updated data will only be generated as part of the normal monthly production cycle. A notice will be placed on the PMAP website advising CLECs when reposted data is available.
6. When updated performance data has been made available for reposting or when a payment error in PARIS has been discovered, BellSouth will recalculate applicable SEEM payments. Where technically feasible, SEEM payments will be subject to recalculation for a maximum

of three months in arrears from the date updated performance data was made available or the date when the payment error was discovered.

7. Any adjustments for underpayment of Tier 1 and Tier 2 calculated remedies will be made consistent with the terms of the state-specific SEEM plan, including the payment of interest. Any adjustments for overpayment of Tier 1 and Tier 2 remedies will be made at BellSouth's discretion.
8. Any adjustments for underpayments will be made in the next month's payment cycle after the recalculation is made. The final current month PARIS reports will reflect the transmitted dollars, including adjustments for prior months where applicable. Questions regarding the adjustments should be made in accordance with the normal process used to address CLEC questions related to SEEM payments.

## CERTIFICATE OF SERVICE

I hereby certify that on August 6, 2003, a copy of the foregoing document was served on the following parties, via the method indicated:

- ☐ Hand
- ☐ Mail
- ☐ Facsimile
- ☐ Overnight
- ☒ Electronic

Martha M. Ross-Bain  
AT&T  
1200 Peachtree Street, Suite 8100  
Atlanta, Georgia 30309  
[rossbain@att.com](mailto:rossbain@att.com)

- ☐ Hand
- ☐ Mail
- ☐ Facsimile
- ☐ Overnight
- ☒ Electronic

Henry Walker, Esquire  
Boult, Cummings, et al.  
P. O. Box 198062  
Nashville, TN 37219-8062  
[hwalker@boultcummings.com](mailto:hwalker@boultcummings.com)

- ☐ Hand
- ☐ Mail
- ☐ Facsimile
- ☐ Overnight
- ☒ Electronic

Jon E. Hastings, Esquire  
Boult, Cummings, et al.  
P. O. Box 198062  
Nashville, TN 37219-8062  
[jhastings@boultcummings.com](mailto:jhastings@boultcummings.com)

- ☐ Hand
- ☐ Mail
- ☐ Facsimile
- ☐ Overnight
- ☒ Electronic

Charles B. Welch, Esquire  
Farris, Mathews, et al.  
618 Church St., #300  
Nashville, TN 37219  
[cwelch@farrismathews.com](mailto:cwelch@farrismathews.com)

- ☐ Hand
- ☐ Mail
- ☐ Facsimile
- ☐ Overnight
- ☒ Electronic

Dana Shaffer, Esquire  
XO Communications, Inc.  
105 Malloy Street  
Nashville, TN 37201  
[dshaffer@xo.com](mailto:dshaffer@xo.com)

